

June 20, 2003

LICENSEE: South Texas Project Nuclear Operating Company

FACILITY: South Texas Project, Unit 1

SUBJECT: SUMMARY OF MEETING WITH STPNOC REGARDING SOUTH TEXAS
PROJECT, UNIT 1 REACTOR VESSEL AND BOTTOM MOUNTED
INSTRUMENTATION PENETRATION INTERFACE LEAKAGE

On May 1, 2003, STP Nuclear Operating Company (STPNOC), the licensee for South Texas Project (STP), Units 1 and 2, met with the U.S. Nuclear Regulatory Commission (NRC) staff at the NRC Headquarters. The purpose of the meeting was for STPNOC to brief the NRC management regarding STPNOC's efforts to address the issues arising from the April 12, 2003 discoveries of indications of leakage from the STP, Unit 1 bottom mounted instrument (BMI) penetrations 1 and 46. There are 58 penetrations at STP, Unit 1. Enclosure 1 contains the licensee's presentation view-graphs. A list of meeting attendees is included as Enclosure 2.

The STPNOC outlined its desired meeting outcomes to keep NRC fully informed; and to ensure that NRC understands STPNOC's non-destructive examination (NDE) process, repair options, root and probable cause investigation process, and significant milestones for corrective actions and resolution of concerns.

The licensee stated that a very small amount of residue (approximately 150 milligrams at penetration 1 and 3 milligrams at penetration 46) was accumulated at the two penetration interfaces. Chemical analyses revealed the presence of boron in the deposits indicating the source of the leakage to be primary coolant. The ratio of Cs-134 and Cs-137 isotopes in the deposits, respectively, indicated the age of the residue to be up to 4 years. The licensee stated that it inspects the exterior of the reactor vessel bottom each refueling outage and other outages that exceeds 72 hours. Previous inspections did not identify any leakage indications at penetrations 1 and 46.

The STPNOC discussed the results of both visual examination and chemical analysis of residue found at the two penetrations, and some potential causal mechanisms. The licensee discussed its plans for further NDE to help determine the type of flaws, causes of the flaws, and options for repair of the condition. The licensee also provided a schedule of milestones of activities to address the BMI leakage issue.

The core will be offloaded by mid-May. NDE and analysis will be completed by late-May. Design approval relief request will be submitted to NRC for review by early June. Repairs will commence in mid-June. Final breaker closure is envisaged by STPNOC for late-summer.

The licensee stated that it has been in communication with the industry, and has received considerable help from the industry, in its efforts to evaluate the root cause and probable cause of the leakage indications. The licensee is employing teams of experts in concert with its senior staff to assist in its on-going evaluations. The licensee stated that Unit 1 will not be restarted

until the root cause has been determined and the condition has been repaired. The licensee proposed a second meeting for the first week in June.

In response to the licensee's presentation, the NRC staff stated that the licensee's response following the discovery of BMI leakage has been prompt, and the licensee has maintained a high level of activity.

Following the licensee's presentation public participants asked questions of the NRC staff and the licensee. The NRC staff and the licensee provided clarifications. Following is a summary of the questions and answers included in the exchange:

Question: What are other plants doing about the issue?

Answer: The staff is doing general survey to address the other plants' activities.

Question: How will the data collected by STPNOC be used to benefit the plant's understanding of the issues?

Answer: The licensee answered that the data will be used as best as they can to learn all that is possible to benefit not only the plant but the entire industry.

Question: What are the repair costs?

Answer: It is too early to say.

The meeting was then adjourned.

/RA/

Mohan C. Thadani, Senior Project Manager, Section 1
Project Directorate IV
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-498

Enclosures: 1. View-graphs
2. List of Attendees

cc w/encls: See next page

staff to assist in its on-going evaluations. The licensee stated that Unit 1 will not be restarted until the root cause has been determined and the condition has been repaired. The licensee proposed a second meeting for the first week in June.

In response to the licensee's presentation, the NRC staff stated that the licensee's response following the discovery of BMI leakage has been prompt, and the licensee has maintained a high level of activity.

Following the licensee's presentation public participants asked questions of the NRC staff and the licensee. The NRC staff and the licensee provided clarifications. Following is a summary of the questions and answers included in the exchange:

Question: What are other plants doing about the issue?

Answer: The staff is doing general survey to address the other plants' activities.

Question: How will the data collected by STPNOC be used to benefit the plant's understanding of the issues?

Answer: The licensee answered that the data will be used as best as they can to learn all that is possible to benefit not only the plant but the entire industry.

Question: What are the repair costs?

Answer: It is too early to say.
The meeting was then adjourned.

/RA/

Mohan C. Thadani, Senior Project Manager, Section 1
Project Directorate IV
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-498

- Enclosures: 1. View-graphs
2. List of Attendees

cc w/encls: See next page

DISTRIBUTION:

PUBLIC

PDIV-1 RF

RidsNrrDlpm (JZwolinski/TMarsh)

RidsNrrDlpmLpdiv (HBerkow)

RidsNrrPMMThadani

RidsOgcRp

RidsNrrDssa (BLACK/JOHNSON)

SMagruder

RHoefling

KKavanagh

WScott

DThatcher

LWert

MMitchell

KWichman

DTERao

BELLIot

DHarrison

VKlein

MHoncharik

SLong

DDuvigneaud

BBateman

BReckley

RidsRgn4MailCenter (AHowell)

RidsNrrDlpmLpdiv1 (RGramm)

RidsNrrLAMcAllister

RidsAcrcAcnwMailCenter

WRecker

MReinhart

JCushing

NSaltos

RTjader

TMensah

EReichelt

ESullivan

JCollins

SMonarque

FGrubelich

MTschiltz

JStrnisha

BFu

JMinns

SUnikewicz

EAndruszkiewicz

KGott

CMoyer

MHartzman

BCullen

BDavis

Barrett

DNaujock

SBloom

AMendiola

DFischer

BMcDermott

AHiser

CGratton

JFoster

EBrown

SBurnell

DChamberlain, RIV

GGood, RIV

BJohnson, RIV

CMarschall, RIV

LEllershaw, RIV

TFarnholtz, RIV

VDricks, RIV

RBywater, RIV

MFields, EDO

ACCESSION NUMBER: ML0

OFFICE	PDIV-1/PM	PDIV-1/LA	PDIV-1/SC
NAME	MThadani	MMcAllister	RGramm
DATE	6/17/03	6/13/03	6/16/03

MEETING PARTICIPANTS
FOR
MEETING BETWEEN STPNOC AND NRC
ON MAY 1, 2003

<u>Participants</u>	<u>Affiliation</u>
Michael Leishlear	STP
Ulhas Patil	STP
Ron Baker	STP
Bill Humble	STP
T. J. Jordan	STP
Steve Thomas	STP
Joe Loya	STP
Wayne Harrison	STP
Mark McBurnett	STP
Leonard Wert	NRC
Eric Reichelt	NRC
Matthew Mitchell	NRC
Edmund Sullivan	NRC
Keith Wichman	NRC
Jay Collins	NRC
David Terao	NRC
Stephen Monarque	NRC
Barry Elliot	NRC
Francis Grubelich	NRC
Donald Harrison	NRC
Mike Tschiltz	NRC
Veronica Klein	NRC
Jim Strnisha	NRC
Michelle Honcharik	NRC
Bart Fu	NRC
Steve Long	NRC
John Minns	NRC
DyLanne Duvigneaud	NRC
Steven Unikewicz	NRC
Bill Bateman	NRC
Edward Andruszkiewicz	NRC
Bill Reckley	NRC
Bob Gramm	NRC
Herb Berkow	NRC
Karen Gott	NRC
Mark Hartzman	NRC
Bob Davis	NRC
Rich Barrett	NRC
Donald Naujock	NRC
Steve Bloom	NRC

<u>Participants</u>	<u>Affiliation</u>
Anthony Mendiola	NRC
David Fischer	NRC
Mohan Thadani	NRC
Chris Gratton	NRC
Jack Foster	NRC
Eva Brown	NRC
Scott Burnell	NRC
Dwight Chamberlain	NRC
Russ Bywater	NRC
Alex Marion	NEI
Jim Riley	NEI
David Lochbaum	UCS
Frank Ammirato	EPRI
Joe Roarty	DNFSB
Toshiro Asakana	JAFRI
Kazuo Fujiiki	JAFRI
Taucher	Taucher International
Jim Riccio	Greenpeace
Altheia Wyche	SERCH Licensing/Bechtel
Terry Pickens	Null Management Company
Daniel Horner	McGraw-Hill
David Udoff	Energy Intelligence
Deann Releigh	Sciencetech
Poo Yoon	KHNP
C. Brinkman	Westinghouse
Ed Spiegel	Westinghouse
Al Gutterman	Morgan, Lewis, & Bockius
Al Butlauage	RGE
Roger Huston	Licensing Support Services
Phillip Rush	MPR Associates
Dan Salter	HGP, Inc.
Leslie Spain	Dominion General

South Texas, Units 1 & 2

cc:

Mr. Cornelius F. O'Keefe
Senior Resident Inspector
U.S. Nuclear Regulatory Commission
P. O. Box 910
Bay City, TX 77414

A. Ramirez/C. M. Canady
City of Austin
Electric Utility Department
721 Barton Springs Road
Austin, TX 78704

Mr. L. K. Blaylock
Mr. W. C. Gunst
City Public Service Board
P. O. Box 1771
San Antonio, TX 78296

Mr. C. A. Johnson/A. C. Bakken
AEP Texas Central Company
P. O. Box 289
Mail Code: N5022
Wadsworth, TX 77483

INPO
Records Center
700 Galleria Parkway
Atlanta, GA 30339-3064

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011

D. G. Tees/R. L. Balcom
Texas Genco, LP
P. O. Box 1700
Houston, TX 77251

Judge, Matagorda County
Matagorda County Courthouse
1700 Seventh Street
Bay City, TX 77414

A. H. Gutterman, Esq.
Morgan, Lewis & Bockius
1111 Pennsylvania Avenue, NW
Washington, DC 20004

Mr. T. J. Jordan, Vice President
Engineering & Technical Services
STP Nuclear Operating Company
P. O. Box 289
Wadsworth, TX 77483

S. M. Head, Manager, Licensing
Nuclear Quality & Licensing Department
STP Nuclear Operating Company
P. O. Box 289, Mail Code: N5014
Wadsworth, TX 77483

Environmental and Natural Resources
Policy Director
P. O. Box 12428
Austin, TX 78711-3189

Jon C. Wood
Matthews & Branscomb
112 East Pecan, Suite 1100
San Antonio, TX 78205

Arthur C. Tate, Director
Division of Compliance & Inspection
Bureau of Radiation Control
Texas Department of Health
1100 West 49th Street
Austin, TX 78756

Brian Almon
Public Utility Commission
William B. Travis Building
P. O. Box 13326
1701 North Congress Avenue
Austin, TX 78701-3326

South Texas, Units 1 & 2

cc:

Susan M. Jablonski
Office of Permitting, Remediation
and Registration
Texas Commission on
Environmental Quality
MC-122
P.O. Box 13087
Austin, TX 78711-3087

Mr. Terry Parks, Chief Inspector
Texas Department of Licensing
and Regulation
Boiler Division
P. O. Box 12157
Austin, TX 78711

Mr. Ted Enos
4200 South Hulen
Suite 630
Ft. Worth, Texas 76109

Mr. James J. Sheppard
President and Chief Executive Officer
STP Nuclear Operating Company
South Texas Project Electric
Generating Station
P. O. Box 289
Wadsworth, TX 77483