

**Southern Nuclear
Operating Company, Inc.**
Post Office Box 1295
Birmingham, Alabama 35201-1295
Tel 205.992.5000



June 20, 2007

Docket No.: 50-425

NL-07-1267

U. S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, D. C. 20555-0001

**Vogtle Electric Generating Plant – Unit 2
Response to Confirmatory Action Letter
Regarding Pressurizer Nozzle Alloy 82/182 Butt Welds**

Ladies and Gentlemen:

On March 12, 2007, Southern Nuclear Operating Company (SNC) received a NRC Confirmatory Action Letter (CAL) No. NRR-07-005 regarding commitments made by SNC letter dated March 6, 2007, in regard to Alloy 82/182 butt welds in the pressurizer at Vogtle Electric Generating Plant (VEGP) Units 1 and 2. The SNC letter described actions that would be taken by VEGP for the pressurizer dissimilar metal butt welds containing Alloy 82/182 material. These commitments addressed: 1) completion schedules for inspection/mitigation of the welds; 2) RCS leak monitoring frequency, action levels, and actions; and 3) reporting requirements.

On April 13, 2007, Southern Nuclear Operating Company (SNC) submitted a letter to the NRC providing examination results for the VEGP Unit 2 pressurizer nozzle full structural weld overlays and a discussion of repairs to the overlay material and/or base metal. This information was supplemented by SNC letter dated April 18, 2007. These submittals satisfied the 60-Day reporting requirement committed to by SNC letter dated March 6, 2007, and also completes all of the actions and commitments addressed in the CAL in regard to VEGP Unit 2.

On page 2 of the CAL, there is a requirement for SNC to notify the NRC when the actions and commitments addressed in the subject CAL are completed. This letter is to notify the NRC that SNC has completed all actions and commitments addressed in the CAL in regard to VEGP Unit 2.

This letter contains no NRC commitments. If you have any questions, please advise.

Sincerely,

A handwritten signature in black ink, appearing to read "B. J. George". The signature is stylized with a large initial "B" and a long horizontal stroke at the end.

B. J. George
Manager, Nuclear Licensing

BJG/DRG/daj

cc: Southern Nuclear Operating Company
Mr. J. T. Gasser, Executive Vice President
Mr. T. E. Tynan, Vice President – Vogtle
Mr. D. H. Jones, Vice President – Engineering
RType: CVC7000

U. S. Nuclear Regulatory Commission
Dr. W. D. Travers, Regional Administrator
Mr. B. K. Singal, NRR Project Manager – Vogtle
Mr. G. J. McCoy, Senior Resident Inspector – Vogtle