
FSAR Tables

1.0 Introduction and General Description of the Plant

Table 1.1-1—{Acronyms Used in this Document}	1-10
Table 1.6-1—{Reports Referenced}	1-28
Table 1.7-1—{I&C Functional and Electrical One Line Diagrams}	1-30
Table 1.7-2—{Piping and Instrumentation Diagrams}	1-31
Table 1.8-1—{FSAR Sections that Demonstrate Conformance to U.S. EPR FSAR Interface Requirements}	1-33
Table 1.8-2—{FSAR Sections that Address COL Items}	1-34
Table 1.9-1—{Conformance with Regulatory Guides} Note: NMP3NPP conforms to applicable Regulatory Guides with the following exceptions}	1-51

2.0 Site Characteristics

Table 2.0-1—{U.S. EPR Site Design Envelope Comparison}	2-5
Table 2.0-2—{Comparison of Inventory of Radionuclides Which Could Potentially Seep Into the Groundwater}	2-9
Table 2.1-1— {NMP3NPP Specific Location}	2-22
Table 2.1-2— {Population Within 10 mi (16 km) Radius of NMP3NPP (2000 — 2080)}	2-23
Table 2.1-3—{Population for Counties Within 10 mile (16 km) Radius of NMP3NPP (2000 — 2080)}	2-24
Table 2.1-4— {Population Within 50 mi (80 km) Radius of NMP3NPP (2000 — 2080)}	2-25
Table 2.1-5— {Population Census (US Census 2000 and Canada Census 2001)and Projections (2010 —2080) for Counties Within 50 mile (80 km) Radius of NMP3NPP}	2-26
Table 2.1-6— {Transient Population Facilities — Major Employers Within 10 mi (16 km) Radius of NMP3NPP}	2-27
Table 2.1-7—{Transient Population Facilities — Major Recreational Areas and Attractions Within 10 mi (16 km) Radius of NMP3NPP}	2-28
Table 2.1-8— {Special Facilities — Hospitals and Nursing Homes Within the 10 mi (16 km) Zone of NMP3NPP}	2-29
Table 2.1-9— {Special Facilities — Schools Within 10 mi (16 km) Zone of NMP3NPP}	2-30
Table 2.1-10—{Commuting Patterns To and From Oswego County (2000)}	2-31
Table 2.1-11— {Actual (2000) and Projected (2016-2080) Population Within the 1 mi (1.6 km) to 30 mi (48 km) Zones of NMP3NPP}	2-32
Table 2.1-12—{Actual (2000) and Projected (2016-2056) Population Density (persons/mi ²) Within the 1 mi (1.6 km) to 30 mi (48 km) Zones of NMP3NPP}	2-33
Table 2.2-1—{Description of Facilities, Products, and Materials}	2-89
Table 2.2-2—{Nine Mile Point Unit 1 and Unit 2 Chemical Storage}	2-90
Table 2.2-3—{Hazardous Chemical Railway, Road, or Waterway Freight}	2-91
Table 2.2-4—{Aircraft Operations - Significance Factors}	2-92
Table 2.2-5— {Chemical Disposition}	2-93
Table 2.2-6—{Hazardous Material, Nearby Facilities, Disposition}	2-95
Table 2.2-7—{Hazardous Material, Transported Chemicals, Disposition}	2-97
Table 2.2-8—{Explosion Event Analysis}	2-98

FSAR Tables

Table 2.2-9—{Flammable Vapor Cloud Events (Delayed Ignition) and Vapor Cloud Explosion Analysis}.....	2-99
Table 2.2-10—{Toxic Vapor Cloud Analysis}	2-100
Table 2.2-11—{Description of Pipelines}.....	2-101
Table 2.3-1—{National Ambient Air Quality Standards}	2-149
Table 2.3-2—{Tornadoes Reported in Oswego County, New York}	2-150
Table 2.3-3—{Tropical Storms and Hurricanes Passing Within 100 Miles (161 km) of Oswego, New York}.....	2-151
Table 2.3-4—{Total and Average Numbers of Tropical Storms and Hurricanes}.....	2-152
Table 2.3-5—{Monthly Mean Number of Days with Thunderstorms}.....	2-153
Table 2.3-6—{Fifty Knots or Greater High Wind Events in Oswego County, New York}	2-154
Table 2.3-7—{Winds Greater than 75 mph and Less than 124 mph in Oswego County, New York} 2-156	
Table 2.3-8—{Hail Events in Oswego County, New York}	2-157
Table 2.3-9—{Ice Storm Events in Oswego County, New York}.....	2-158
Table 2.3-10—{Snow Storm Events in Oswego County, New York}.....	2-159
Table 2.3-11—{Probable Maximum Winter Precipitation (PMWP) Values}	2-164
Table 2.3-12—{Design-Basis Tornado Characteristics for NMP3NPP}.....	2-165
Table 2.3-13—{Annual Heating and Humidification Design Conditions}	2-166
Table 2.3-14—{Annual Cooling, Dehumidification, and Enthalpy Design Conditions}	2-167
Table 2.3-15—{Extreme Annual Design Conditions}	2-168
Table 2.3-16—{Monthly Design Dry Bulb and Mean Coincident Wet Bulb Temperatures}..	2-169
Table 2.3-17—{Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperatures}..	2-170
Table 2.3-18—{Monthly Mean Daily Temperature Range °F}.....	2-171
Table 2.3-19—{Zero Percent Exceedance Temperature Values}	2-172
Table 2.3-20—{Minimum Zero Percent Exceedance Temperature Value}.....	2-173
Table 2.3-21—{NMPNS 30 ft (9-m) 2001-2007 Annual JFD}.....	2-174
Table 2.3-22—{NMPNS 100 ft (30-m) 2001-2007 Annual JFD}	2-182
Table 2.3-23—{NMPNS 200 ft (61-m) 2001-2007 Annual JFD}	2-190
Table 2.3-24—{NMPNS 30 ft (9-m) 2001-2005 Annual JFD}.....	2-198
Table 2.3-25—{NMPNS 100 ft (30-m) 2001-2005 Annual JFD}	2-206
Table 2.3-26—{NMPNS 200 ft (61-m) 2001-2005 Annual JFD}	2-214
Table 2.3-27—{NMPNS 30 ft (9-m) 2001-2005 Winter JFD}	2-222
Table 2.3-28—{NMPNS 30 ft (9-m) 2001-2005 Spring JFD}	2-230
Table 2.3-29—{NMPNS 30 ft (9-m) 2001-2005 Summer JFD}.....	2-238
Table 2.3-30—{NMPNS 30 ft (9-m) 2001-2005 Autumn JFD}.....	2-246
Table 2.3-31—{NMPNS 100 ft (30-m) 2001-2005 Winter JFD}	2-254
Table 2.3-32—{NMPNS 100 ft (30-m) 2001-2005 Spring JFD}	2-262
Table 2.3-33—{NMPNS 100 ft (30-m) 2001-2005 Summer JFD}	2-270
Table 2.3-34—{NMPNS 100 ft (30-m) 2001-2005 Autumn JFD}	2-278
Table 2.3-35—{NMPNS 200 ft (61-m) 2001-2005 Winter JFD}	2-286
Table 2.3-36—{NMPNS 200 ft (61-m) 2001-2005 Spring JFD}	2-294

FSAR Tables

Table 2.3-37—{NMPNS 200 ft (61-m) 2001-2005 Summer JFD}	2-302
Table 2.3-38—{NMPNS 200 ft (61-m) 2001-2005 Autumn JFD}	2-310
Table 2.3-39—{NMPNS 30 ft (9-m) 2001-2005 January JFD}	2-318
Table 2.3-40—{NMPNS 30 ft (9-m) 2001-2005 February JFD}	2-326
Table 2.3-41—{NMPNS 30 ft (9-m) 2001-2005 March JFD}	2-334
Table 2.3-42—{NMPNS 30 ft (9-m) 2001-2005 April JFD}	2-342
Table 2.3-43—{NMPNS 30 ft (9-m) 2001-2005 May JFD}	2-350
Table 2.3-44—{NMPNS 30 ft (9-m) 2001-2005 June JFD}	2-358
Table 2.3-45—{NMPNS 30 ft (9-m) 2001-2005 July JFD}	2-366
Table 2.3-46—{NMPNS 30 ft (9-m) 2001-2005 August JFD}	2-374
Table 2.3-47—{NMPNS 30 ft (9-m) 2001-2005 September JFD}	2-382
Table 2.3-48—{NMPNS 30 ft (9-m) 2001-2005 October JFD}	2-390
Table 2.3-49—{NMPNS 30 ft (9-m) 2001-2005 November JFD}	2-398
Table 2.3-50—{NMPNS 30 ft (9-m) 2001-2005 December JFD}	2-406
Table 2.3-51—{NMPNS 100 ft (30-m) 2001-2005 January JFD}	2-414
Table 2.3-52—{NMPNS 100 ft (30-m) 2001-2005 February JFD}	2-422
Table 2.3-53—{NMPNS 100 ft (30-m) 2001-2005 March JFD}	2-430
Table 2.3-54—{NMPNS 100 ft (30-m) 2001-2005 April JFD}	2-438
Table 2.3-55—{NMPNS 100 ft (30-m) 2001-2005 May JFD}	2-446
Table 2.3-56—{NMPNS 100 ft (30-m) 2001-2005 June JFD}	2-454
Table 2.3-57—{NMPNS 100 ft (30-m) 2001-2005 July JFD}	2-462
Table 2.3-58—{NMPNS 100 ft (30-m) 2001-2005 August JFD}	2-470
Table 2.3-59—{NMPNS 100 ft (30-m) 2001-2005 September JFD}	2-478
Table 2.3-60—{NMPNS 100 ft (30-m) 2001-2005 October JFD}	2-486
Table 2.3-61—{NMPNS 100 ft (30-m) 2001-2005 November JFD}	2-494
Table 2.3-62—{NMPNS 100 ft (30-m) 2001-2005 December JFD}	2-502
Table 2.3-63—{NMPNS 200 ft (61-m) 2001-2005 January JFD}	2-510
Table 2.3-64—{NMPNS 200 ft (61-m) 2001-2005 February JFD}	2-518
Table 2.3-65—{NMPNS 200 ft (61-m) 2001-2005 March JFD}	2-526
Table 2.3-66—{NMPNS 200 ft (61-m) 2001-2005 April JFD}	2-534
Table 2.3-67—{NMPNS 200 ft (61-m) 2001-2005 May JFD}	2-542
Table 2.3-68—{NMPNS 200 ft (61-m) 2001-2005 June JFD}	2-550
Table 2.3-69—{NMPNS 200 ft (61-m) 2001-2005 July JFD}	2-558
Table 2.3-70—{NMPNS 200 ft (61-m) 2001-2005 August JFD}	2-566
Table 2.3-71—{NMPNS 200 ft (61-m) 2001-2005 September JFD}	2-574
Table 2.3-72—{NMPNS 200 ft (61-m) 2001-2005 October JFD}	2-582
Table 2.3-73—{NMPNS 200 ft (61-m) 2001-2005 November JFD}	2-590
Table 2.3-74—{NMPNS 200 ft (61-m) 2001-2005 December JFD}	2-598
Table 2.3-75—{Input Used to Determine JFD's}	2-606
Table 2.3-76—{NMPNS 30 ft(9-m) Wind Direction Persistence Summary for 2001}	2-607
Table 2.3-77—{NMPNS 30 ft (9-m) Wind Direction Persistence Summary for 2002}	2-608

FSAR Tables

Table 2.3-78—{NMPNS 30 ft (9-m) Wind Direction Persistence Summary for 2003}	2-609
Table 2.3-79—{NMPNS 30 ft (9-m) Wind Direction Persistence Summary for 2004}	2-610
Table 2.3-80—{NMPNS 30 ft (9-m) Wind Direction Persistence Summary for 2005}	2-611
Table 2.3-81—{NMPNS 30 ft (9-m) Average Wind Direction Persistence Summary for Years 2001-2005}	2-612
Table 2.3-82—{NMPNS 100 ft (30-m) Wind Direction Persistence Summary for 2001}	2-614
Table 2.3-83—{NMPNS 100 ft (30-m) Wind Direction Persistence Summary for 2002}	2-615
Table 2.3-84—{NMPNS 100 ft (30-m) Wind Direction Persistence Summary for 2003}	2-616
Table 2.3-85—{NMPNS 100 ft (30-m) Wind Direction Persistence Summary for 2004}	2-617
Table 2.3-86—{NMPNS 100 ft (30-m) Wind Direction Persistence Summary for 2005}	2-618
Table 2.3-87—{NMPNS 100 ft (30-m) Average Wind Direction Persistence Summary for Years 2001-2005}	2-619
Table 2.3-88—{NMPNS 200 ft (61-m) Wind Direction Persistence Summary for 2001}	2-621
Table 2.3-89—{NMPNS 200 ft (61-m) Wind Direction Persistence Summary for 2002}	2-622
Table 2.3-90—{NMPNS 200 ft (61-m) Wind Direction Persistence Summary for 2003}	2-623
Table 2.3-91—{NMPNS 200 ft (61-m) Wind Direction Persistence Summary for 2004}	2-624
Table 2.3-92—{NMPNS 200 ft (61-m) Wind Direction Persistence Summary for 2005}	2-625
Table 2.3-93—{NMPNS 200 ft (61-m) Average Wind Direction Persistence Summary for Years 2001-2005}	2-626
Table 2.3-94—{NMPNS Daily Average and Extreme Temperatures (2001-2005)}	2-627
Table 2.3-95—{NMPNS Daily Average and Extreme Dew Point Temperatures (2001-2005)}	2-664
Table 2.3-96—{NMPNS Monthly Mean Temperatures (2001-2005)}	2-702
Table 2.3-97—{NMPNS Monthly Mean Extreme Maximum Temperatures (2001-2005)}	2-703
Table 2.3-98—{NMPNS Monthly Mean Extreme Minimum Temperatures (2001-2005)}	2-704
Table 2.3-99—{NMPNS Monthly Mean Daily Maximum Temperatures (2001-2005)}	2-705
Table 2.3-100—{NMPNS Monthly Mean Daily Minimum Temperatures (2001-2005)}	2-706
Table 2.3-101—{NMPNS Maximum Hourly Temperatures (2001-2005)}	2-707
Table 2.3-102—{NMPNS Minimum Hourly Temperatures (2001-2005)}	2-708
Table 2.3-103—{NMPNS Monthly Mean Dew Point Temperatures (2001-2005)}	2-709
Table 2.3-104—{Number of NMPNS Hourly Temperature Values Greater Than or Less Than Indicated Value and Percent Frequency of Occurrence (2001-2005)}	2-710
Table 2.3-105—{NMPNS Monthly Mean Relative Humidity (2001-2005)}	2-711
Table 2.3-106—{Monthly Mean Temperatures (1971-2000) for Sites Around NMPNS}	2-712
Table 2.3-107—{Monthly Mean Daily Maximum Temperatures (1971-2000) for Sites Around NMPNS}	2-713
Table 2.3-108—{Monthly Mean Daily Minimum Temperatures (1971-2000) for Sites Around NMPNS}	2-714
Table 2.3-109—{Monthly Mean Wet Bulb Temperatures (1978-2000) for Sites Around NMPNS}	2-715
Table 2.3-110—{Monthly Mean Dew Point Temperatures (1978-2000) for Sites Around NMPNS}	2-716
Table 2.3-111—{Annual Heating and Humidification Design Conditions}	2-717

FSAR Tables

Table 2.3-112—{Annual Cooling, Dehumidification, and Enthalpy Design Conditions} . . .	2-718
Table 2.3-113— {Extreme Annual Design Conditions}.	2-719
Table 2.3-114—{Monthly Design Dry Bulb and Mean Coincident Wet Bulb Temperatures} 2-	720
Table 2.3-115—{Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperatures} 2-	721
Table 2.3-116—{Monthly Mean Daily Temperature Range °F}	2-722
Table 2.3-117—{NMPNS Monthly and Annual Precipitation (2001-2005)}	2-723
Table 2.3-118—{NMPNS Monthly and Annual Percent Frequency (%) of Precipitation Occurrence (2001-2005)}	2-724
Table 2.3-119—{NMPNS Hourly Rainfall Rate Distribution (2001-2005)}.	2-725
Table 2.3-120—{NMPNS Measured Extreme Precipitation Hourly Values (2001-2005)}. . . .	2-726
Table 2.3-121—{Mean Monthly and Annual Precipitation for Sites Around NMPNS (1971-2000)} 2-	727
Table 2.3-122—{Mean Monthly and Annual Snowfall for Sites Around NMPNS (1971-2000)} . . .	2-728
Table 2.3-123—{Monthly Mean Number of Days with Precipitation for Sites Around NMPNS (1971-2000)}	2-729
Table 2.3-124—{Monthly Mean Number of Days with Heavy Fog for Sites Around NMPNS (1964-2006)}	2-730
Table 2.3-125—{NMPNS 30 ft (9 m) Annual Stability Persistence Summary for Year 2001} .2-	731
Table 2.3-126— {NMPNS 30 ft (9 m) Annual Stability Persistence Summary for Year 2002}.2-	732
Table 2.3-127— {NMPNS 30 ft (9 m) Annual Stability Persistence Summary for Year 2003}.2-	733
Table 2.3-128— {NMPNS 30 ft (9 m) Annual Stability Persistence Summary for Year 2004}.2-	734
Table 2.3-129—{NMPNS 30 ft (9 m) Annual Stability Persistence Summary for Year 2005} .2-	735
Table 2.3-130—{NMPNS 30 ft (9 m) Annual Stability Persistence Summary for Years 2001-2005} 2-	737
Table 2.3-131—{NMPNS 100 ft (30 m) Annual Stability Persistence Summary for Year 2001} . . .	2-738
Table 2.3-132—{NMPNS 100 ft (30 m) Annual Stability Persistence Summary for Year 2002} . . .	2-739
Table 2.3-133— {NMPNS 100 ft Annual Stability Persistence Summary for Year 2003}2-	740
Table 2.3-134—{NMPNS 100 ft (30 m) Annual Stability Persistence Summary for Year 2004} . . .	2-741
Table 2.3-135— {NMPNS 100 ft (30 m) Annual Stability Persistence Summary for Year 2005} . . .	2-742
Table 2.3-136—{NMPNS 100 ft (30 m) Annual Stability Persistence Summary for Years 2001-2005}	2-744
Table 2.3-137—{NMPNS 200 ft (61 m) Annual Stability Persistence Summary for Year 2001} . . .	2-745
Table 2.3-138—{NMPNS 200 ft (61 m) Annual Stability Persistence Summary for Year 2002} . . .	2-746
Table 2.3-139— {NMPNS 200 ft (61 m) Annual Stability Persistence Summary for Year 2003} . . .	2-747
Table 2.3-140—{NMPNS 200 ft (61 m) Annual Stability Persistence Summary for Year 2004} . . .	2-748

FSAR Tables

Table 2.3-141—{NMPNS 200 ft (61 m) Annual Stability Persistence Summary for Year 2005}	2-749
Table 2.3-142—{NMPNS 200 ft (61 m) Annual Stability Persistence Summary for Years 2001-2005}	2-751
Table 2.3-143— {NMPNS Monthly Atmospheric Stability Summary}	2-752
Table 2.3-144— {Monthly and Annual Average Mixing Height Values (m)}	2-753
Table 2.3-145— {Monthly and Annual Average Mixing Height Values (ft)}	2-754
Table 2.3-146— {Temperature Inversion Frequency and Persistence at NMPNS, Year 2001}	2-755
Table 2.3-147—{Temperature Inversion Frequency and Persistence at NMPNS, Year 2002}	2-756
Table 2.3-148—{Temperature Inversion Frequency and Persistence at NMPNS, Year 2003}	2-757
Table 2.3-149— {Temperature Inversion Frequency and Persistence at NMPNS, Year 2004}	2-758
Table 2.3-150— {Temperature Inversion Frequency and Persistence at NMPNS, Year 2005}	2-759
Table 2.3-151— {National Ambient Air Quality}	2-760
Table 2.3-152—{Existing Primary Meteorological Tower Instrument Types, Specifications and Accuracies for Pre-Operational and Operational Programs}	2-761
Table 2.3-153—{Backup Meteorological Tower Instrument Types, Specifications and Accuracies for Pre-Operational and Operational Programs}	2-763
Table 2.3-154—{Distances from Met Tower to Nearby Obstructions to Air Flow}	2-764
Table 2.3-155—{Distances from the New Meteorological Tower to Nearby Obstructions to Air Flow}	2-765
Table 2.3-156—{AEOLUS3 and ARCON96 Input}	2-766
Table 2.3-157—{LPZ Accident χ/Q Values for Ground Level Release Using NMPNS 2001-2007 Meteorological Data}	2-767
Table 2.3-158—{LPZ 50th Percentile Accident Atmospheric Dispersion Factors (sec/m ³)}	2-768
Table 2.3-159—{EAB Accident Sector χ/Q Values for Ground Level Release}	2-769
Table 2.3-160—{EAB 5th Percentile Accident χ/Q (sec/m ³)}	2-770
Table 2.3-161—{EAB 50th Percentile Accident χ/Q (sec/m ³)}	2-771
Table 2.3-162—{Control Room/TSC χ/Q Values for Stack Release Using NMPNS 2001-2007 Meteorological Data}	2-772
Table 2.3-163—{Control Room/TSC χ/Q Values for Silencer Release Using NMPNS 2001-2007 Meteorological Data}	2-773
Table 2.3-164—{Control Room/TSC χ/Q Values for Canopy Release Using NMPNS 2001-2007 Meteorological Data}	2-774
Table 2.3-165—{Control Room/TSC χ/Q Values for Equipment Hatch Release Using NMPNS 2001-2007 Meteorological Data}	2-775
Table 2.3-166—{Control Room/TSC χ/Q Values for Depressurization Shaft Release Using NMPNS 2001-2007 Meteorological Data}	2-776
Table 2.3-167—{AEOLUS3 Input}	2-777

FSAR Tables

Table 2.3-168—{Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-789
Table 2.3-169—{Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Site Boundary Receptors}	2-791
Table 2.3-170—{Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values (sec/m3) for Mixed Mode Release With Building Wake for Nearest Residents}	2-792
Table 2.3-171—{Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values (sec/m3) for Mixed Mode Release With Building Wake for Nearest Gardens}	2-793
Table 2.3-172—{Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values (sec/m3) for Mixed Mode Release With Building Wake for Nearest Milk Animals}	2-794
Table 2.3-173—{Normal Effluent Annual Average, Decayed, Depleted χ/Q Values (sec/m3) for Mixed Mode Release With Building Wake for Grid Receptors}	2-795
Table 2.3-174—{Normal Effluent Annual Average, Decayed, Depleted χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Site Boundary Receptors}	2-797
Table 2.3-175—{Normal Effluent Annual Average, Decayed, Depleted χ/Q Values (sec/m3) for Mixed Mode Release With Building Wake for Nearest Residents}	2-798
Table 2.3-176—{Normal Effluent Annual Average, Decayed, Depleted χ/Q Values (sec/m3) for Mixed Mode Release With Building Wake for Nearest Gardens}	2-799
Table 2.3-177—{Normal Effluent Annual Average, Decayed, Depleted χ/Q Values (sec/m3) for Mixed Mode Release With Building Wake for Nearest Milk Animals}	2-800
Table 2.3-178—{Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-801
Table 2.3-179—{Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Site Boundary Receptors}	2-803
Table 2.3-180—{Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values (sec/m3) for Mixed Mode Release With Building Wake for Nearest Residents}	2-804
Table 2.3-181—{Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values (sec/m3) for Mixed Mode Release With Building Wake for Nearest Gardens}	2-805
Table 2.3-182—{Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values (sec/m3) for Mixed Mode Release With Building Wake for Nearest Milk Animals}	2-806
Table 2.3-183—{Normal Effluent Annual Average D/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-807
Table 2.3-184—{Normal Effluent Annual Average D/Q Values (1/m2) for Mixed Mode Release Using 242,458 cfm Flow Rate for Site Boundary Receptors}	2-809
Table 2.3-185—{Normal Effluent Annual Average D/Q Values (1/m2) for Mixed Mode Release With Building Wake for Nearest Residents}	2-810
Table 2.3-186—{Normal Effluent Annual Average D/Q Values (1/m2) for Mixed Mode Release With Building Wake for Nearest Gardens}	2-811
Table 2.3-187—{Normal Effluent Annual Average D/Q Values (1/m2) for Mixed Mode Release With Building Wake for Nearest Milk Animals}	2-812

FSAR Tables

Table 2.3-188—{Distances from Major Structures to the New Meteorological Tower}.....	2-813
Table 2.4-1—{Storms Causing High Recorded Surges on Lake Ontario}.....	2-1006
Table 2.4-2—{Predicted PMWS Pressure, Wind Speed, and Wind Direction on Lake Ontario}... 2-1007	
Table 2.4-3—{Storms Causing High Recorded Surges in Eastern Lake Ontario}.....	2-1009
Table 2.4-4—{Summary of Surge Elevation Analyses}.....	2-1010
Table 2.4-5—{Public and Private Water Supply Systems in the United States Drawing from Lake Ontario within 50 mi (80 km) of NMP3NPP}	2-1011
Table 2.4-6—{Canadian Water Suppliers and Industrial Users Drawing From Lake Ontario Within 50 Mi (80 Km) Of NMP3NPP}.....	2-1013
Table 2.4-7—{Maximum Instantaneous Water Levels of Lake Ontario at Oswego, New York}	2-1014
Table 2.4-8—{Point (1 mi ²) Probable Maximum Precipitation Depths}	2-1015
Table 2.4-9—{Comparison of the PMP with the Winter PMP Variation by Month inches (cm)}	2-1016
Table 2.4-10—{Summary of HEC-RAS Results}	2-1017
Table 2.4-11—{Safety-Related Facility Flood Elevation Summary}	2-1018
Table 2.4-12—{Safety Related Building Acronym List}.....	2-1019
Table 2.4-13—{Locks and Dams in the Oswego River}.....	2-1020
Table 2.4-14—{Historic Tsunamis Affecting the East Coast of the US and Canada}.....	2-1021
Table 2.4-15—{Summary of Geologic Units 100, 200, and 300 Series Borings}	2-1022
Table 2.4-16—{Summary of Geologic Units 400 Series Borings}	2-1026
Table 2.4-17—{Well Construction Details}	2-1028
Table 2.4-18—{Monitoring Well Elevations}	2-1031
Table 2.4-19—{Summary of Hydraulic Conductivities Onshore}	2-1035
Table 2.4-20—{Summary of Hydraulic Conductivities Offshore}	2-1036
Table 2.4-21—{Monitoring Well Data: Geologic Units}.....	2-1037
Table 2.4-22—{Public Groundwater Supplies within a 25-mile Radius of the NMP3NPP Site} ... 2-1040	
Table 2.4-23—{Commercial Water Supplies: Oswego County within a 25-mile Radius of the NMP3NPP Site}	2-1041
Table 2.4-24—{Commercial Water Supplies Cayuga, Wayne, Jefferson and Onondaga Counties within a 25-mile radius of the NMP3NPP Site}	2-1043
Table 2.4-25—{NMP3NPP Summary of Accidental Release Sources}.....	2-1044
Table 2.4-26—{Reactor Coolant Storage Tank Bounding Values for Component Radionuclide Inventory}	2-1045
Table 2.4-27—{Transport Analysis Considering Advection and Radioactive Decay}	2-1046
Table 2.4-28—{Transport Analysis Considering Adsorption, Advection and Radioactive Decay} 2-1049	
Table 2.4-29—{Transport Analysis Considering Advection, Radioactive Decay, and Retardation}.....	2-1050
Table 2.4-30—{Nuclide Activities at Potable Water Supply}	2-1051

FSAR Tables

Table 2.4-31—{Compliance with 10 CFR 20, Appendix B, Table 2}	2-1052
Table 2.5-1—{Earthquake Catalog for Earthquakes within 200 miles (320 km) of Site} ...	2-1359
Table 2.5-2— {Earthquake Catalog for Earthquakes in Charlevoix Seismic Zone}	2-1368
Table 2.5-3—{Summary of Seismic Sources}.....	2-1375
Table 2.5-4— {Comparison of EPRI (1989) and Current Hazard Results Using EPRI (1989) Assumptions}.....	2-1379
Table 2.5-5—{Comparison of Seismicity Rates for Mb>6.8, 7.0, and 7.2 Using the Original EPRI (1989) Seismicity Catalog and the Updated Catalog}	2-1380
Table 2.5-6— {Mean and Fractile Seismic Hazard Curves for PGA, Rock, No CAV}.....	2-1381
Table 2.5-7— {Mean and Fractile Seismic Hazard Curves for 25 Hz, Rock, No CAV}	2-1382
Table 2.5-8— {Mean and Fractile Seismic Hazard Curves for 10 Hz, Rock, No CAV}	2-1383
Table 2.5-9— {Mean and Fractile Seismic Hazard Curves for 5 Hz, Rock, No CAV}.....	2-1384
Table 2.5-10—{Mean and Fractile Seismic Hazard Curves for 2.5 Hz, Rock, No CAV}	2-1385
Table 2.5-11—{Mean and Fractile Seismic Hazard Curves for 1 Hz, Rock, No CAV}	2-1386
Table 2.5-12—{Mean and Fractile Seismic Hazard Curves for 0.5 Hz, Rock, No CAV}	2-1387
Table 2.5-13— {Mean Hard Rock UHRS Accelerations (g), No CAV Calculation}	2-1388
Table 2.5-14—{Percent Contribution to Low-Frequency Deaggregation for 10-4}	2-1389
Table 2.5-15—Percent Contribution to High-Frequency Deaggregation for 10-4}	2-1390
Table 2.5-16—{Percent Contribution to Low-Frequency Deaggregation for 10-5}	2-1391
Table 2.5-17—{Percent Contribution to High-Frequency Deaggregation for 10-5}	2-1392
Table 2.5-18— {Percent Contribution to Low-Frequency Deaggregation for 10-6}.	2-1393
Table 2.5-19—{Percent Contribution to High-Frequency Deaggregation for 10-6}	2-1394
Table 2.5-20—{Controlling Magnitudes and Distances from Deaggregation (shaded cells indicate values used to construct UHRS)}	2-1395
Table 2.5-21— {Shear Wave Velocities and Other Properties for GMRS Profile}	2-1396
Table 2.5-22—{Shear Wave Velocities and Other Properties for FIRS Profile}	2-1397
Table 2.5-23—{Properties Used to Define Controlling Earthquakes}	2-1398
Table 2.5-24— {Mean and Fractile Seismic Hazard Curves for PGA at GMRS Elevation, CAV}	2-1399
Table 2.5-25— {Mean and Fractile Seismic Hazard Curves for 25 Hz at GMRS Elevation, CAV}	2-1400
Table 2.5-26—{Mean and Fractile Seismic Hazard Curves for 10 Hz at GMRS Elevation, CAV}	2-1401
Table 2.5-27— {Mean and Fractile Seismic Hazard Curves for 5 Hz at GMRS Elevation, CAV}	2-1402
Table 2.5-28—{Mean and Fractile Seismic Hazard Curves for 2.5 Hz at GMRS Elevation, CAV}	2-1403
Table 2.5-29—{Mean and Fractile Seismic Hazard Curves for 1 Hz at GMRS Elevation, CAV}	2-1404
Table 2.5-30—{Mean and Fractile Seismic Hazard Curves for 0.5 Hz at GMRS Elevation, CAV}	2-1405
Table 2.5-31— {Horizontal 10-5 and 10-6 UHRS Amplitudes (in g) at GMRS and FIRS Elevation}.....	2-1406

FSAR Tables

Table 2.5-32—{Mean and Fractile Seismic Hazard Curves for PGA at FIRS Elevation, CAV}.....	2-1407
Table 2.5-33—{Mean and Fractile Seismic Hazard Curves for 25 Hz at FIRS Elevation, CAV}.....	2-1408
Table 2.5-34—{Mean and Fractile Seismic Hazard Curves for 10 Hz at FIRS Elevation, CAV}.....	2-1409
Table 2.5-35— {Mean and Fractile Seismic Hazard Curves for 25 Hz at FIRS Elevation, CAV}.....	2-1410
Table 2.5-36—{Mean and Fractile Seismic Hazard Curves for 2.5 Hz at FIRS Elevation, CAV}.....	2-1411
Table 2.5-37—{Mean and Fractile Seismic Hazard Curves for 1 Hz at FIRS Elevation, CAV}.....	2-1412
Table 2.5-38— {Mean and Fractile Seismic Hazard Curves for 0.5 Hz at FIRS Elevation, CAV}.....	2-1413
Table 2.5-39—{Horizontal 10-5 UHRS (at GMRS Elevation) and GMRS, and Vertical GMRS (in g)}.....	2-1414
Table 2.5-40— {Horizontal 10-5 UHRS (at FIRS Elevation) and FIRS, and Vertical FIRS (in g)}.....	2-1415
Table 2.5-41—{Summary of Geologic Units of 100, 200, and 300 Series Borings}.....	2-1416
Table 2.5-42—{Summary of Geologic Units of 400 Series Borings}.....	2-1418
Table 2.5-43—{Laboratory Soil Test Data}.....	2-1419
Table 2.5-44— {Laboratory Structural Fill Test Data}.....	2-1421
Table 2.5-45—{Laboratory Rock Test Data - Onshore}.....	2-1422
Table 2.5-46—{Range and Average of Laboratory Rock Test Data - Onshore}.....	2-1424
Table 2.5-47—{Laboratory Rock Test Data - Offshore}.....	2-1425
Table 2.5-48—{Range and Average of Laboratory Rock Test Data - Offshore}.....	2-1427
Table 2.5-49—{Rock Profile and Rock Properties}.....	2-1428
Table 2.5-50—{Representative Modulus Reduction and Damping for Rock}.....	2-1429
Table 2.5-51—{Rising Head Permeability Tests}.....	2-1430
Table 2.5-52—{Onshore Water Pressure Tests}.....	2-1431
Table 2.5-53— {Offshore Water Pressure Tests}.....	2-1443
Table 2.5-54— {Basis of Subsurface Investigation}.....	2-1452
Table 2.5-55—{Monitoring Well Details}.....	2-1456
Table 2.5-56—{Groundwater Elevation Data}.....	2-1458
Table 2.5-57—{Chemical Testing Results for Soil Concrete Parameters}.....	2-1460
Table 2.5-58—{Chemical Testing Results for Groundwater Concrete Parameters}.....	2-1461
Table 2.5-59—{Guidelines for Soil and Groundwater Chemistry Evaluation}.....	2-1462
Table 2.5-60—{Summary of Unconfined, Free-Free, resonant Column (URC) Tests of Rock}.....	2-1463
Table 2.5-61—{Petrography Results}.....	2-1465
Table 2.5-62—{Onshore Natural Gas Observations}.....	2-1467
Table 2.5-63—{Offshore Natural Gas Observations}.....	2-1468
Table 2.5-64— {Liquefaction Resistance Analysis of Site Soils}.....	2-1469

FSAR Tables

3.0 Design of Structures, Components, Equipment and Systems

Table 3.2-1—{Classification Summary for Site-Specific SSCs}	3-10
Table 3.7-1—{NMP3NPP Best Estimate Soil Modeling}	3-49
Table 3.7-2—{NMP3NPP Lower Bound Soil Estimate}	3-52
Table 3.7-3—{NMP3NPP Upper Bound Soil Modeling}	3-55
Table 3.7-4— {UHS Makeup Water Intake Structure Accelerations for Equivalent Static Analysis}	3-57
Table 3.7-5—{UHS Makeup Water Intake Superstructure Natural Frequencies and Mass Participation}	3-58
Table 3.8-1—{Foundation Basemat Summary Table for the UHS Makeup Water Intake Structure}	3-109
Table 3.9-1—{Site-Specific Inservice Pump Testing Program Requirements}	3-121
Table 3.9-2—{Site-Specific Inservice Valve Testing Program Requirements}	3-122
Table 3.10-1—{Seismic and Dynamic Qualifications of Mechanical and Electrical Equipment} .. 3-131	
Table 3.10-2—{Seismic Qualification Implementation Program}	3-138
Table 3.11-1—{Site-Specific Environmentally Qualified Electrical and I&C Equipment}	3-142
Table 3E.4-1—{Load Combinations for Seismic Category I Concrete}	3-158
Table 3E.4-2—{Demand Table for the UHS Makeup Water intake Substructure Walls}	3-159
Table 3E.4-3—{Demand Table for the UHS Makeup Water Intake Superstructure Walls}	3-160
Table 3E.4-4—{Demand Table for the UHS Makeup Water Intake Roof Slab}	3-161
Table 3E.4-5—{Demand Table for the UHS Makeup Water Intake Grade Slab}	3-162
Table 3E.4-6—{Demand Table for the UHS Makeup Water Intake Foundation Base Mat}	3-163

4.0 Reactor

5.0 Reactor Coolant System and Connected Systems

6.0 Engineered Safety Features

Table 6.6-1— {Inservice Inspection Requirements for Class 3 Site-Specific UHS Makeup Water System}	6-14
---	------

7.0 Instrumentation and Controls

8.0 Electric Power

Table 8.1-1— {Division 1 Emergency Diesel Generator Nominal Loads}	8-7
Table 8.1-2— {Division 2 Emergency Diesel Generator Nominal Loads}	8-8

FSAR Tables

Table 8.1-3— {Division 3 Emergency Diesel Generator Nominal Loads}.....	8-9
Table 8.1-4— {Division 4 Emergency Diesel Generator Nominal Loads}.....	8-10
Table 8.2-1— {NG Transmission System Circuits Connected to the NMP3NPP Site}	8-25
Table 8.3-1—{NMP3NPP AC Power System Component Data Nominal Values}.....	8-33
Table 8.3-2—{NMP3NPP EPSS Switchgear, Load Center, and Motor Control Center Numbering and Nominal Voltage}.....	8-34
Table 8.3-3—{NMP3NPP Normal Power Supply System Switchgear, Load Center, and Motor Control Center Numbering and Nominal Voltage}.....	8-35

9.0 Auxiliary Systems

Table 9.5-1—(Fire Protection Program Compliance with Regulatory Guide 1.189).....	9-46
---	------

9B Fire Protection Analysis - Plant Specific Supplement

Table 9B-1—{Predefined Severities for Common Plant Ignition Source Fires}	9B-26
Table 9B-2—{Fire Area Parameters}	9B-27

10.0 Steam and Power Conversion System

Table 10.4-1—{Circulating Water System Cooling Tower Design Specifications}.....	10-17
--	-------

11.0 Radioactive Waste Management

12.0 Radiation Protection

Table 12.3-1—{Exterior Source List from NMP Unit 1 and Unit 2 and JAFNPP}.....	12-20
Table 12.3-2—{Radiation Source Locations}	12-21
Table 12.3-3—{Historical Off-site Doses for NMP Unit 1, Unit 2 and James A. Fitzpatrick NPP Site and Comparison to 40 CFR 190 Limits}	12-22
Table 12.3-4—{Average Annual JAFNPP ISFSI TLD Exposures (mR/yr)}	12-23
Table 12.3-5—{Calculation of JAFNPP ISFSI Cask Loading}	12-24
Table 12.3-6—{Estimate Exposure from NMP Unit 1 and Unit 2 Independent Spent Fuel Storage Installation}.....	12-25
Table 12.3-7—{Coefficients for Proposed NMP Unit 1 and Unit 2 Independent Spent Fuel Storage Installation (Year 2011)}	12-26
Table 12.3-8—{Coefficients for Equation 12.3-8}	12-27
Table 12.3-9—{Collective Whole Body Doses (person-rem/yr) to NMP3NPP Construction Workers (person-mSv/yr) }.....	12-28
Table 12.3-10— {Gaseous Dose Rate Type and Coefficients (mrem-m3/sec-yr)}	12-29
Table 12.3-11— {Historical Annual Average Ground Release c/Q (sec/m3) 2001-2006}....	12-30
Table 12.3-12— {Historical Annual Average Elevated Release c/Q (sec/m3) 2001-2006}...12-31	

FSAR Tables

Table 12.3-13—{Historical Annual Average Elevated Release Gamma c/Q (sec/m ³) 2001 – 2006}	12-32
Table 12.3-14—{Historical Gaseous Release Data for NMP Unit 1 Stack (2001-2006) [Ci/yr (Bq/yr)]}	12-33
Table 12.3-15—{Historical Gaseous Release Data for NMP Unit 1 Vent (2001-2006) [Ci/yr (Bq/yr)]}	12-34
Table 12.3-16—{Historical Gaseous Release Data for NMP Unit 2 Stack (2001-2006) [Ci/yr (Bq/yr)]}	12-35
Table 12.3-17—{Historical Gaseous Release Data for NMP Unit 2 Vent (2001-2006) [Ci/yr (Bq/yr)]}	12-37
Table 12.3-18—{Historical Gaseous Release Data for JAFNPP Stack (2001-2006) [Ci/yr (Bq/yr)]}	12-38
Table 12.3-19—{Historical Gaseous Release Data for JAFNPP Vent (2001-2006) [Ci/yr (Bq/yr)]}	12-40
Table 12.3-20— {Total Effective Dose Equivalent (TEDE) from All Gaseous Effluent Releases (mrem/yr)}	12-42
Table 12.3-21—{Total of Maximum Shoreline Doses}	12-43
Table 12.3-22— {Historical NMP Unit 1 Liquid Releases}	12-44
Table 12.3-23—{Historical NMP Unit 2 Liquid Releases}	12-45
Table 12.3-24—{Historical JAFNPP Liquid Releases}	12-46
Table 12.3-25— {Historical NMP Unit 1 Dilutions}	12-47
Table 12.3-26— {Historical NMP Unit 2 Dilutions}	12-48
Table 12.3-27— {Historical JAFNPP Dilutions}	12-49
Table 12.3-28—{Historical NMP Unit 1 Shoreline Dose}	12-50
Table 12.3-29—{Historical NMP Unit 2 Shoreline Dose}	12-51
Table 12.3-30—{Historical JAFNPP Shoreline Dose}	12-52
Table 12.3-31— {Historical Total (summed for all 3 plants) Shoreline Dose}	12-53
Table 12.3-32— {TLD Measurements for NMPNS/JAFNPP 2007}	12-54
Table 12.3-33—{Locations of TLDs}	12-55
Table 12.3-34—{Ratio of Calculated to Measured values for TLDs}	12-56
Table 12.3-35—{Past and Future Cask Loading of the JAFNPP ISFSI}	12-57
Table 12.3-36—{Ratio of Annual Exposure to 2007 Exposure from JAFNPP ISFSI}	12-58
Table 12.3-37—{Occupancy by Construction Zone}	12-59
Table 12.3-38—{Projected Construction Worker Census 2010 to 2015}	12-60
Table 12.3-39—{Worker Doses for 2015 with 2200 hour Occupancy Times}	12-61

13.0 Conduct of Operations

Table 13.1-1—{Generic Position/Site Specific Position Cross Reference}	13-21
Table 13.1-2—{Minimum Shift Crew Composition}	13-24
Table 13.4-1—{Operational Programs Required by NRC Regulations and Program Implementation}	13-30

FSAR Tables

14.0 Verification Programs

Table 14.3-1—{Site Specific Analyses (Safety Significant Features)}	14-24
Table 14.3-2—{Site Specific SSC ITAAC Screening Summary}	14-25
Table 14.3-3—{Interface Requirements Screening Summary}	14-26

15.0 Transient and Accident Analysis

16.0 Technical Specifications

17.0 Quality Assurance and Reliability Assurance

Table 17.4-1—{Definitions of Component Failure Modes}	17-15
Table 17.4-2—{Risk Significant SSCs Ranked by FV for “At Power” Events, All Components with FV Greater Than or Equal to 0.005}	17-16
Table 17.4-3—{Risk Significant SSCs Common Cause Failure (CCF) Ranked by RAW, All CCFs with RAW Greater Than or Equal to 20}	17-20
Table 17.4-4—{Risk Significant SSCs Ranked by RAW for “At Power” Events, All Components with RAW Greater Than or Equal to 2}	17-27
Table 17.4-5—{Risk Significant SSCs Ranked by FV for “Shutdown” Events, All Components with FV ³ 0.005}	17-30
Table 17.4-6—{Risk-Significant SSCs Ranked by RAW for “Shutdown” Events, All Components with RAW ³ 2}	17-33
Table 17.4-7—{Risk-Significant CCFs Ranked by RAW for “Shutdown” Events, CCFs with RAW ³ 20}	17-38

18.0 Human Factors Engineering

19.0 Probabilistic Risk Assessment And Severe Accident Evaluation

Table 19.1-1—{Summary of External Events Evaluated for NMP3NPP}	19-22
---	-------