




SHEET 2 OF 2


BECHTEL PROJECT NO.: 25409	MACTEC PROJECT NO.: 6468-07-1950	COUNTY: Miami-Dade	GEOLOGIST: G. Pillappa
SITE DESCRIPTION: Turkey Point COL	DRILL MACHINE: CME-550 (ATL)	DRILLER: L. Carter/ J. Landeros	GROUND WATER (ft)
BORING NO.: B-721	DRILL METHOD: Mud Rotary/Core	SAMPLE METHODS: SPT/Core	0 HR. NA
GROUND ELEV.: -1.5 ft (NAVD88)	NORTHING: 397,338 US ft (NAD83/90)	EASTING: 876,120 US ft (NAD83/90)	24 HR. NA
TOTAL DEPTH: 127.4 ft	CASING DEPTH: 4" to 36.0', 3" to 117.2'	HAMMER (ID): 140 lb. Auto (MEC-03)	
DATE STARTED: 4/21/08	COMPLETED: 4/23/08	CORE SIZE: HQ3	CORE BARREL TYPE: Triple Tube Wireline (Split inner liners)

ELEV. (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		SAMP. NO.	STRATA		L O G	DESCRIPTION AND REMARKS
				REC. (ft) %	RQD (ft) %		REC. (ft) %	RQD (ft) %		
										Continued from previous page
-113.7	112.2		0:51 0:36							
		5.0	0:41 1:03 0:32 0:36 1:56	(0.4) 8%	(0.0) 0%	RUN-17				112.2ft: white (10YR8/1), to very pale brown (10YR8/4), to light gray (10YR7/1)
							(0.0) 0%	(NA)		-115.5 Silty SAND (SM), pale yellow (5Y7/4), medium dense, wet, trace limestone fragments, weak HCl reaction, fine grained sand (Tamiami Formation) 114.0
-118.7	117.2									-118.7
										Coring Terminated at Elevation -118.7


TURKEY POINT COL CORE TURKEY POINT.GPJ TURKEY POINT COL.GDT 5/30/08



B-721 – Box 1




B-721 – Box 2



B-721 – Box 3



B-721 – Box 4



B-721 - Box 5