

Figures

Figure 1.2-21R	Radwaste Building Plan At Elevation –9350	1-13
Figure 1.2-22R	Radwaste Building Plan At Elevation –2350	1-14
Figure 1.2-23R	Radwaste Building Plan At Elevation 4650	1-15
Figure 1.2-24R	Radwaste Building Plan At Elevation 10650	1-16
Figure 1.2-25R	Radwaste Building Plan At Elevation Section A-A And Section B-B	1-17
Figure 2.0-201	Comparison of Horizontal CSDRS with the Unit 3 FIRS for the RB/FB and CB	2-39
Figure 2.0-202	Comparison of Vertical CSDRS with the Unit 3 FIRS for the RB/FB and CB	2-40
Figure 2.0-203	Comparison of Horizontal CSDRS with the Unit 3 FIRS for the FWSC.....	2-41
Figure 2.0-204	Comparison of Vertical CSDRS with the Unit 3 FIRS for the FWSC	2-42
Figure 2.1-201	Site Location and Vicinity Within 80 km (50 Mi)	2-84
Figure 2.1-202	Site Location and Vicinity Within 12 km (7.5 Mi)	2-85
Figure 2.1-203	Fermi Property Boundary	2-86
Figure 2.1-204	Fermi 3 Site Plan	2-87
Figure 2.1-205	U.S. Counties/ CA Counties wholly or partly within 80-km (50-mi) Radius of Fermi 3 (latitude: 41° 57' 39" N, longitude: 83° 15' 43" W)	2-88
Figure 2.1-206	Segment Resident Population Distribution 0-16 km (10 mi) (Segmented Concentric Circles) from Fermi 3, 2000.....	2-89
Figure 2.1-207	Regional Segment Population Distribution 0-80 km (50 mi) (Segmented Concentric Circles) from Fermi 3, 2000.....	2-90
Figure 2.1-208	Census Block Points within Monroe County, MI.....	2-91
Figure 2.1-209	Census Block Points within Each Segment.....	2-92
Figure 2.1-210	Resident and Transient Regional Segment Population Distribution, 0-16 km (10 mi) (Segmented Concentric Circles) from Fermi 3, 2000	2-93
Figure 2.1-211	Resident and Transient Regional Segment Population Distribution 0-80 km (50 mi) (Segmented Concentric Circles) from Fermi 3, 2000	2-94
Figure 2.1-212	Example Sectional Population Growth Rate Calculation.....	2-95
Figure 2.1-213	Industrial Facilities, Parks and Other Facilities within the LPZ (3 mi) and 5 mi of Fermi 3	2-96

Figures

Figure 2.2-201	Industries and Transportation Routes Within 8 Km (5 Mi).....	2-128
Figure 2.2-202	Nearby Airports and Aviation Routes	2-129
Figure 2.3-201	Climatological Observing Stations near the Fermi Site	2-455
Figure 2.3-202	Total Reports of Severe Hail for the Five-County Area (1955-2007)	2-456
Figure 2.3-203	Total Hail Reports for the Five-County Area (1955-2007).....	2-457
Figure 2.3-204	Detroit Metropolitan Airport Annual Precipitation Rose (2003-2007).....	2-458
Figure 2.3-205	Detroit Metropolitan Airport January Precipitation Rose (2003-2007)	2-459
Figure 2.3-206	Detroit Metropolitan Airport February Precipitation Rose (2003-2007)	2-460
Figure 2.3-207	Detroit Metropolitan Airport March Precipitation Rose (2003-2007).....	2-461
Figure 2.3-208	Detroit Metropolitan Airport April Precipitation Rose (2003-2007)	2-462
Figure 2.3-209	Detroit Metropolitan Airport May Precipitation Rose (2003-2007)	2-463
Figure 2.3-210	Detroit Metropolitan Airport June Precipitation Rose (2003-2007)	2-464
Figure 2.3-211	Detroit Metropolitan Airport July Precipitation Rose (2003-2007)	2-465
Figure 2.3-212	Detroit Metropolitan Airport August Precipitation Rose (2003-2007).....	2-466
Figure 2.3-213	Detroit Metropolitan Airport September Precipitation Rose (2003-2007)	2-467
Figure 2.3-214	Detroit Metropolitan Airport October Precipitation Rose (2003-2007)	2-468
Figure 2.3-215	Detroit Metropolitan Airport November Precipitation Rose (2003-2007)	2-469
Figure 2.3-216	Detroit Metropolitan Airport December Precipitation Rose (2003-2007)	2-470
Figure 2.3-217	Detroit Metropolitan Airport Annual Wind Rose (2003-2007)	2-471
Figure 2.3-218	Detroit Metropolitan Airport January Wind Rose (2003-2007)	2-472
Figure 2.3-219	Detroit Metropolitan Airport February Wind Rose (2003-2007)	2-473
Figure 2.3-220	Detroit Metropolitan Airport March Wind Rose (2003-2007)	2-474

Figures

Figure 2.3-221	Detroit Metropolitan Airport April Wind Rose (2003-2007)	2-475
Figure 2.3-222	Detroit Metropolitan Airport May Wind Rose (2003-2007)	2-476
Figure 2.3-223	Detroit Metropolitan Airport June Wind Rose (2003-2007)	2-477
Figure 2.3-224	Detroit Metropolitan Airport July Wind Rose (2003-2007)	2-478
Figure 2.3-225	Detroit Metropolitan Airport August Wind Rose (2003-2007)	2-479
Figure 2.3-226	Detroit Metropolitan Airport September Wind Rose (2003-2007)	2-480
Figure 2.3-227	Detroit Metropolitan Airport October Wind Rose (2003-2007)	2-481
Figure 2.3-228	Detroit Metropolitan Airport November Wind Rose (2003-2007)	2-482
Figure 2.3-229	Detroit Metropolitan Airport December Wind Rose (2003-2007)	2-483
Figure 2.3-230	Fermi Site 10-m Annual Wind Rose (2003-2007)	2-484
Figure 2.3-231	Fermi Site 10-m January Wind Rose (2003-2007)	2-485
Figure 2.3-232	Fermi Site 10-m February Wind Rose (2003-2007)	2-486
Figure 2.3-233	Fermi Site 10-m March Wind Rose (2003-2007)	2-487
Figure 2.3-234	Fermi Site 10-m April Wind Rose (2003-2007)	2-488
Figure 2.3-235	Fermi Site 10-m May Wind Rose (2003-2007)	2-489
Figure 2.3-236	Fermi Site 10-m June Wind Rose (2003-2007)	2-490
Figure 2.3-237	Fermi Site 10-m July Wind Rose (2003-2007)	2-491
Figure 2.3-238	Fermi Site 10-m August Wind Rose (2003-2007)	2-492
Figure 2.3-239	Fermi Site 10-m September Wind Rose (2003-2007)	2-493
Figure 2.3-240	Fermi Site 10-m October Wind Rose (2003-2007)	2-494
Figure 2.3-241	Fermi Site 10-m November Wind Rose (2003-2007)	2-495
Figure 2.3-242	Fermi Site 10-m December Wind Rose (2003-2007)	2-496

Figures

Figure 2.3-243	Fermi Site 60-m Annual Wind Rose (2003-2007)	2-497
Figure 2.3-244	Fermi Site 60-m January Wind Rose (2003-2007)	2-498
Figure 2.3-245	Fermi Site 60-m February Wind Rose (2003-2007)	2-499
Figure 2.3-246	Fermi Site 60-m March Wind Rose (2003-2007).....	2-500
Figure 2.3-247	Fermi Site 60-m April Wind Rose (2003-2007)	2-501
Figure 2.3-248	Fermi Site 60-m May Wind Rose (2003-2007).....	2-502
Figure 2.3-249	Fermi Site 60-m June Wind Rose (2003-2007).....	2-503
Figure 2.3-250	Fermi Site 60-m July Wind Rose (2003-2007)	2-504
Figure 2.3-251	Fermi Site 60-m August Wind Rose (2003-2007)	2-505
Figure 2.3-252	Fermi Site 60-m September Wind Rose (2003-2007)	2-506
Figure 2.3-253	Fermi Site 60-m October Wind Rose (2003-2007)	2-507
Figure 2.3-254	Fermi Site 60-m November Wind Rose (2003-2007)	2-508
Figure 2.3-255	Fermi Site 60-m December Wind Rose (2003-2007)	2-509
Figure 2.3-256	Topographic Features within 5 Miles of the Fermi Site	2-510
Figure 2.3-257	Topographic Features within 50 Miles of the Fermi Site	2-511
Figure 2.3-258	Terrain Elevation Profiles Within 5 Miles of the Fermi Site	2-512
Figure 2.3-259	Terrain Elevation Profiles Within 50 Miles of the Fermi Site	2-514
Figure 2.3-260	Process Flow Diagram of the Fermi Onsite Meteorological Monitoring Program.....	2-516
Figure 2.3-261	Hourly Dry Bulb Temperature from Detroit Metropolitan Airport During June 24-26, 1988	2-517
Figure 2.3-262	Hourly Dry Bulb Temperature from Detroit Metropolitan Airport During January 20-22, 1984	2-518
Figure 2.3-263	Hourly Dry Bulb and Wet Bulb Temperature from Detroit Metropolitan Airport During July 11-17, 1995.....	2-519
Figure 2.4-201	Central, Eastern and Western Basin Areas of Lake Erie	2-691
Figure 2.4-202	Bathymetry of Lake Erie and Lake Saint Clair.....	2-692
Figure 2.4-203	Major Tributaries of Lake Erie	2-693
Figure 2.4-204	The Great Lakes Region	2-694

Figures

Figure 2.4-205	Site Location and Vicinity Within 12 Km (7.5 Mi).....	2-695
Figure 2.4-206	Hydrology of the Great Lakes Water System	2-696
Figure 2.4-207	Total Water Withdrawals by Sector in Michigan (MGD) 2000-2004	2-697
Figure 2.4-208	Swan Creek and Stony Creek Watershed Basins	2-698
Figure 2.4-209	Topographic Map for 12 km Vicinity around the Fermi Property (Base map: USGS 1:100,000 Scale Metric Topographic Map Series).....	2-699
Figure 2.4-210	Topographic Map Showing Fermi Property Boundary (Base map: USGS 1:24,000 7.5 Minute Topographic Series).....	2-700
Figure 2.4-211	Fermi 3 Site Plan	2-701
Figure 2.4-212	Lake Erie Extreme Water Levels (1970-2007) NAVD 88	2-702
Figure 2.4-213	Fermi 3 Site PMP Duration-Intensity Curve	2-703
Figure 2.4-214	Existing Sub-Basin Drainage Areas	2-704
Figure 2.4-215	Final Grade Drainage Areas	2-705
Figure 2.4-216	NRCS Dimensional Unit Hydrograph Q Results for One Square Mi PMF of Fermi 3	2-706
Figure 2.4-217	Final Grade Drainage Areas Assuming Clogged Underground Storm Drains and Culverts	2-707
Figure 2.4-218	Swan Creek Cross-Sections	2-708
Figure 2.4-219	Hydrograph Results.....	2-709
Figure 2.4-220	Alternative II - Swan Creek Profile from Station 0+00.00 to 111+83.75	2-710
Figure 2.4-221	Alternative II - Swan Creek Profile at Station 5+30.7749 (East Side of Fermi Site)	2-711
Figure 2.4-222	Alternative II - Swan Creek Profile at Station 19+36.913 (West Side of Fermi Site)	2-712
Figure 2.4-223	Profile of Swan Creek for Alternative I from Station 0+00.00 to 111+83.75	2-713
Figure 2.4-224	Alternative I - Swan Creek Profile at Station 5+30.7749 (East Side of Fermi Site)	2-714
Figure 2.4-225	Alternative I - Swan Creek Profile at Station 19+36.913 (West Side of Fermi Site)	2-715

Figures

Figure 2.4-226	Profile of Swan Creek for Alternative III from Station 0+00.00 to 111+83.75	2-716
Figure 2.4-227	Alternative III - Swan Creek Profile at Station 5+30.7749 (East Side of Fermi Site)	2-717
Figure 2.4-228	Alternative III - Swan Creek Profile at Station 19+36.913 (West Side of Fermi Site)	2-718
Figure 2.4-229	Water Level Gauging Stations in Lake Erie.....	2-719
Figure 2.4-230	Wave Run-up and Overtopping on Impermeable Structures (Example)	2-720
Figure 2.4-231	Site Map	2-721
Figure 2.4-232	Regional Aquifer System	2-722
Figure 2.4-233	Conceptual Cross-Section of Regional Aquifer System	2-723
Figure 2.4-234	Sole Source Aquifers.....	2-724
Figure 2.4-235	Quarries of Monroe County, Michigan.....	2-725
Figure 2.4-236	All Wells Within 2 Mi	2-726
Figure 2.4-237	All Wells Within 5 Mi	2-727
Figure 2.4-238	All Wells Within 25 Mi	2-728
Figure 2.4-239	Simulated Pre-Development Water Levels in Bedrock Aquifer	2-729
Figure 2.4-240	1993 Bedrock Aquifer Potentiometric Surface in Monroe County, MI	2-730
Figure 2.4-241	2008 Bedrock Aquifer Potentiometric Surface in Monroe County, MI	2-731
Figure 2.4-242	Overburden Water Table Map 06/29/2007	2-732
Figure 2.4-243	Overburden Water Table Map 09/28/2007-09/29/2007	2-733
Figure 2.4-244	Overburden Water Table Map 12/29/2007	2-734
Figure 2.4-245	Overburden Water Table Map 03/21/2008.....	2-735
Figure 2.4-246	Bass Islands Aquifer Potentiometric Surface Map 06/29/2007	2-736
Figure 2.4-247	Bass Islands Aquifer Potentiometric Surface Map 09/28/2007 - 09/29/2007	2-737
Figure 2.4-248	Bass Islands Aquifer Potentiometric Surface Map 12/29/2007	2-738
Figure 2.4-249	Bass Islands Aquifer Potentiometric Surface Map 03/29/2008	2-739

Figures

Figure 2.4-250	Fermi 3 Paired Hydrographs	2-740
Figure 2.4-251	Monroe County Water Level Hydrographs	2-741
Figure 2.4-252	Fermi 3 Overburden Hydraulic Conductivity.....	2-742
Figure 2.4-253	Fermi 3 Bedrock Hydraulic Conductivity	2-743
Figure 2.4-254	Groundwater Model Grid Refinement.....	2-744
Figure 2.4-255	Dewatering Bass Islands Group: Drawdown Contours - Reinforced Diaphragm Concrete Wall With Grouted Base Combination.....	2-745
Figure 2.4-256	Dewatering Bass Islands Group: Drawdown Contours – Grout Curtain/Freeze Wall Combination with a Grouted Base	2-746
Figure 2.4-257	Effective Monitoring Intervals For Bedrock Wells At The Fermi Site	2-747
Figure 2.4-258	Watershed Boundary.....	2-748
Figure 2.4-259	PMP Hyetograph	2-749
Figure 2.4-260	Results of the Snowmelt Analysis - Total Depth of Rain and Snowmelt Available for Runoff	2-750
Figure 2.4-261	Summary of HEC-HMS Results	2-751
Figure 2.4-262	Water Surface Elevation at Plant	2-752
Figure 2.4-263	Still Water Elevations	2-753
Figure 2.4-264	Wave Height and Bathymetry – Fermi Site	2-754
Figure 2.4-265	Wave Run-Up (Vertical exaggeration is approximately 5 to 1).....	2-755
Figure 2.4-266	Conceptual Model for Groundwater Transport Analysis.....	2-756
Figure 2.5.1-201	Fermi 3 Site Region and Site Vicinity Planametric Maps	2-912
Figure 2.5.1-202	Fermi 3 Site Regional Physiographic Map	2-913
Figure 2.5.1-203	Fermi 3 Site Region Map of Tectonic Structures.....	2-914
Figure 2.5.1-204	Geologic Map of the Fermi 3 Site Region	2-915
Figure 2.5.1-205	Quaternary Geology Map of the Fermi 3 Site Region	2-916
Figure 2.5.1-206	Basement Crustal Provinces in the Fermi 3 Site Region	2-917
Figure 2.5.1-207	Regional Seismicity and Tectonic Features in the Fermi 3 Site Region	2-918
Figure 2.5.1-207	Regional Seismicity and tectonic Features in the Fermi 3 Site Region	2-919

Figures

Figure 2.5.1-207	Regional Seismicity and tectonic Features in the Fermi 3 Site Region	2-920
Figure 2.5.1-208	Paleozoic Basins and Arches in the Fermi 3 Site Region	2-921
Figure 2.5.1-209	Geologic Timescale	2-922
Figure 2.5.1-210	Map and Schematic History of Penokean Orogeny	2-923
Figure 2.5.1-211	Hypothetical Model for the Nature and Continuity of Structures of the Midcontinent Rift System.....	2-924
Figure 2.5.1-212	Schematic History of the Grenville Orogeny	2-925
Figure 2.5.1-213	Map Showing Locations of Seismic Lines	2-926
Figure 2.5.1-214	Late Wisconsin Glacial Lobes, Sublobes, and Inferred Ice Flow Pathways .	2-927
Figure 2.5.1-215	Wisconsinan Stadial Interstadial Terminology.....	2-928
Figure 2.5.1-216	Summary Diagram of Lake Levels, Outlets, Inflows, Phases, and “Age” vs. Radiocarbon Age for the Northern Huron Basin	2-929
Figure 2.5.1-217	Stratigraphic Column for Michigan	2-930
Figure 2.5.1-218	Geologic Cross-Section of the (320 km [200 mi] Radius) Site Region	2-931
Figure 2.5.1-219	World Stress Map Showing Maximum Horizontal Stress Trajectory in the Fermi 3 Site Region.....	2-932
Figure 2.5.1-220	Bouguer Gravity Map of the Fermi 3 Site Region.....	2-933
Figure 2.5.1-221	Magnetic Anomaly Map of the Fermi 3 Site Region	2-934
Figure 2.5.1-222	Interpretation of COCORP Lines OH-1 and OH-2.....	2-935
Figure 2.5.1-223	Summary of Displacement History of Bowling Green Fault.....	2-936
Figure 2.5.1-224	Photograph and Cross-Section of an Exposure of the Bowling Green Fault in Waterville Quarry	2-937
Figure 2.5.1-225	Structure Contour Maps Showing the Howell Anticline and the Lucas-Monroe Monocline	2-938
Figure 2.5.1-226	Geologic Cross-Section of Howell Anticline	2-939
Figure 2.5.1-227	Landslide Hazard Map for the Fermi 3 Site Region	2-940
Figure 2.5.1-228	Engineering Aspects of Karst Map for the Fermi 3 Site Region	2-941
Figure 2.5.1-229	Topography of the Fermi 3 Site Location	2-942
Figure 2.5.1-230	Geologic Map of the Fermi 3 Site Vicinity	2-943

Figures

Figure 2.5.1-231	Geologic Map Showing Quaternary Features of the Fermi 3 Site Vicinity....	2-944
Figure 2.5.1-232	Map Showing Quaternary Features of the Erie Basin	2-945
Figure 2.5.1-233	Chart Showing the Lake Phases and Levels and Ice Margin Positions for the Quaternary	2-946
Figure 2.5.1-234	Maps Showing Late Wisconsinan Ice Margins and Proglacial Lake Shorelines (~18 ka to 5ka).....	2-947
Figure 2.5.1-235	Site Exploration Plan	2-948
Figure 2.5.1-236	Enlargement of Site Exploration Plan.....	2-949
Figure 2.5.1-237	Geologic Cross Section A-A.....	2-950
Figure 2.5.1-238	Geologic Cross Section B-B	2-951
Figure 2.5.1-239	Geologic Cross Section C-C	2-952
Figure 2.5.1-240	Geologic Cross Section D-D	2-953
Figure 2.5.1-241	Geologic Map of the Fermi 3 Site Area	2-954
Figure 2.5.1-242	Natural Gamma Log of Fermi 3 Boring RB-C8.....	2-955
Figure 2.5.1-243	Photograph of Erosion Surface in Salina Unit F, Fermi 3 Boring CB-C2.....	2-956
Figure 2.5.1-244	Quaternary Geologic Map of the Site Area	2-957
Figure 2.5.1-245	Map Showing Soils of the Fermi 3 Site Location	2-958
Figure 2.5.1-246	Tectonic Structures in the Fermi 3 Site Vicinity	2-959
Figure 2.5.1-247	Structure Contour Maps from Monroe County, Michigan	2-960
Figure 2.5.1-248	Structural Contour Maps Showing Bedrock Elevation of the Ordovician Trenton Group and the Silurian Bass Islands Formation	2-961
Figure 2.5.1-249	Structural Contour Map on the Top of the Bass Islands Group, Oolitic Dolomite Marker Horizon.....	2-962
Figure 2.5.1-250	Fermi 3 Site Vicinity Physiographic Map	2-963
Figure 2.5.1-251	Plot of Elevation Versus Distance of Raised and Uptilted Shorelines of the Whittlesey and Subsequent Lake Phases.....	2-964
Figure 2.5.1-252	Lakes Whittlesey and Saginaw, and the Port Huron Stade Ice Barriers	2-965
Figure 2.5.1-253	GPS Motions	2-966
Figure 2.5.1-254	GPS Horizontal Velocities with Motion of Rigid North America Removed....	2-967

Figures

Figure 2.5.1-255	Composite Cross Sections of Strandlines in Northern Ohio.....	2-968
Figure 2.5.1-256	Paleo-shorelines and Structural Features in the Vicinity of Fermi 3 Site.....	2-969
Figure 2.5.1-257	Topographic Profile AA' Relative to Published Elevations of Mapped Paleo-shoreline Features	2-970
Figure 2.5.1-258	Denniston Quarry: Quaternary Excavations, Soil Profile Locations and Mapped Soil Units	2-971
Figure 2.5.1-259	Denniston Quarry: Soil Profile SP-1 in Quaternary Excavation QE-1	2-972
Figure 2.5.1-260	Denniston Quarry: Stratigraphy Exposed in Quaternary QE-2.....	2-973
Figure 2.5.1-261	Denniston Quarry: Quaternary Excavation QE-3 and Soil Profiles SP-2 and SP-3	2-974
Figure 2.5.1-262	Denniston Quarry: North Wall of Quaternary Excavation QE-3.....	2-975
Figure 2.5.1-263	Index Map of Western Lake Erie Showing Names of Geographic Features	2-976
Figure 2.5.1-264	Index Map of Eastern Lake Erie Showing Names of Geographic Features .	2-977
Figure 2.5.1-265	Map Showing Locations of the Oil and Gas Wells Near the Sumpter and New Boston Pool Possible Faults	2-978
Figure 2.5.1-266	Earthquake and Inferred Fault Planes in the Ashtabula, Ohio, Area.....	2-979
Figure 2.5.1-267	Plot Showing Elevations of Bedrock Surfaces Based on Oil Wells across the Sumpter Pool and New Boston Pool Possible Faults.....	2-980
Figure 2.5.2-201	Earthquake Catalog for Mid-Continent Region.....	2-1103
Figure 2.5.2-202	Location of Earthquakes within 320 km (200 mi.) of the Fermi 3 Site	2-1104
Figure 2.5.2-203	Location of Earthquakes within 80 km (50 mi.) of the Fermi 3 Site	2-1105
Figure 2.5.2-204	Bechtel EPRI-SOG Seismic Sources	2-1106
Figure 2.5.2-205	Dames & Moore EPRI-SOG Seismic Sources	2-1107
Figure 2.5.2-206	Law Engineering EPRI-SOG Seismic Sources	2-1108
Figure 2.5.2-207	Rondout Associates EPRI-SOG Seismic Sources	2-1109
Figure 2.5.2-208	Weston Geophysical EPRI-SOG Seismic Sources	2-1110
Figure 2.5.2-209	Woodward-Clyde Consultants EPRI-SOG Seismic Sources.....	2-1111
Figure 2.5.2-210	USGS National Seismic Hazard Mapping Project Source Mode.....	2-1112
Figure 2.5.2-211	Source Characterization Logic Tree for Repeating Large-Magnitude New Madrid Earthquakes	2-1113

Figures

Figure 2.5.2-212	Central Fault System of New Madrid Seismic Zone	2-1114
Figure 2.5.2-213	Location of New Madrid Seismic Zone as Illuminated by Seismicity between 1974 and 1996	2-1115
Figure 2.5.2-214	Earthquake Recurrence Rates for New Madrid Seismic Sources	2-1116
Figure 2.5.2-215	Distributions for Mean Repeat Time for Repeating Large-Magnitude New Madrid Earthquakes	2-1117
Figure 2.5.2-216	Earthquake Rupture Sequences for Repeating Large-Magnitude New Madrid Earthquakes	2-1118
Figure 2.5.2-217	EPRI-SOG Catalog Completeness Regions	2-1119
Figure 2.5.2-218	Effect of Updated Catalog on Earthquake Occurrence Rates within Completeness Region 4	2-1120
Figure 2.5.2-219	Effect of Updated Catalog on Earthquake Occurrence Rates within Completeness Region 5	2-1121
Figure 2.5.2-220	Ground Motion Characterization Logic Tree Used in the PSHA for the Fermi 3 Site	2-1122
Figure 2.5.2-221	Comparison of Median Ground Motion Models Used in the PSHA with Recently Published Models	2-1123
Figure 2.5.2-222	Mean Hazard Curves for the Bechtel Team Sources Computed using Subset of EPRI (2004, 2006) Ground Motion Models	2-1124
Figure 2.5.2-223	Mean Hazard Curves for the Dames & Moore Team Sources Computed using Subset of EPRI (2004, 2006) Ground Motion Models	2-1125
Figure 2.5.2-224	Mean Hazard Curves for the Law Engineering Team Sources Computed using Subset of EPRI (2004, 2006) Ground Motion Models	2-1126
Figure 2.5.2-225	Mean Hazard Curves for the Rondout Associates Team Sources Computed using Subset of EPRI (2004, 2006) Ground Motion Models	2-1127
Figure 2.5.2-226	Mean Hazard Curves for the Weston Geophysical Team Sources Computed using Subset of EPRI (2004, 2006) Ground Motion Models	2-1128
Figure 2.5.2-227	Mean Hazard Curves for the Woodward-Clyde Consultants Team Sources Computed using Subset of EPRI (2004, 2006) Ground Motion Models	2-1129
Figure 2.5.2-228	Effect of Update of EPRI-SOG and Additional Sources on the Seismic Hazard for the Fermi 3 Site. Hazard computed using Subset of EPRI (2004, 2006) Ground Motion Models.....	2-1130
Figure 2.5.2-229	Generic CEUS Hard Rock Hazard Results for 0.5-Hz Spectral Accelerations for the Fermi 3 Site	2-1131

Figures

Figure 2.5.2-230	Generic CEUS Hard Rock Hazard Results for 1-Hz Spectral Accelerations for the Fermi 3 Site	2-1132
Figure 2.5.2-231	Generic CEUS Hard Rock Hazard Results for 2.5-Hz Spectral Accelerations for the Fermi 3 Site	2-1133
Figure 2.5.2-232	Generic CEUS Hard Rock Hazard Results for 5-Hz Spectral Accelerations for the Fermi 3 Site	2-1134
Figure 2.5.2-233	Generic CEUS Hard Rock Hazard Results for 10-Hz Spectral Accelerations for the Fermi 3 Site	2-1135
Figure 2.5.2-234	Generic CEUS Hard Rock Hazard Results for 25-Hz Spectral Accelerations for the Fermi 3 Site	2-1136
Figure 2.5.2-235	Generic CEUS Hard Rock Hazard Results for 100-Hz Spectral Accelerations for the Fermi 3 Site	2-1137
Figure 2.5.2-236	Contribution of the Updated EPRI-SOG Model and the New Madrid/Wabash, Valley Sources to the Total Mean Hazard at the Fermi 3 Site	2-1138
Figure 2.5.2-237	Effect of Alternative EPRI (2004) Ground Motion Cluster Median Models on the Hazard Computed for the Fermi 3 Site.....	2-1139
Figure 2.5.2-238	Effect of Uncertainty in the EPRI (2004) Ground Motion Cluster Median Models on the Hazard Computed for the Fermi 3 Site.....	2-1140
Figure 2.5.2-239	Effect of Alternative mb-M Conversion Relationships on the Hazard Computed for the Fermi 3 Site	2-1141
Figure 2.5.2-240	Uncertainty in the Hazard for the Fermi 3 Site from the Updated EPRI-SOG Seismic Sources and Comparison of Individual Team Mean Hazard Results.....	2-1142
Figure 2.5.2-241	Uniform Hazard Response Spectra for the Fermi 3 Site and Generic Hard Rock Conditions	2-1143
Figure 2.5.2-242	Deaggregation of Mean 10^{-3} Hazard	2-1144
Figure 2.5.2-243	Deaggregation of Mean 10^{-4} Hazard	2-1145
Figure 2.5.2-244	Deaggregation of Mean 10^{-5} Hazard	2-1146
Figure 2.5.2-245	Deaggregation of Mean 10^{-6} Hazard	2-1147
Figure 2.5.2-246	Mean 10^{-3} UHRS, RE, and DE Spectra.....	2-1148
Figure 2.5.2-247	Mean 10^{-4} UHRS, RE, and DE Spectra.....	2-1149
Figure 2.5.2-248	Mean 10^{-5} UHRS, RE, and DE Spectra.....	2-1150
Figure 2.5.2-249	Mean 10^{-6} UHRS, RE, and DE Spectra.....	2-1151

Figures

Figure 2.5.2-250	Extension of Response Spectra to 0.1 Hz.....	2-1152
Figure 2.5.2-251	Shear Wave Velocity Data for Boring TB-C5	2-1153
Figure 2.5.2-252	Shear Wave Velocity Data for Boring RB-C8	2-1154
Figure 2.5.2-253	Shear Wave Velocity Data for Boring CB-C3	2-1155
Figure 2.5.2-254	Shear Wave Velocity Data for Boring RB-C4	2-1156
Figure 2.5.2-255	Geometric Mean Velocity Profile for Fermi 3 Site	2-1157
Figure 2.5.2-256	Modulus Reduction and Damping Relationships Used for the Glacial Till and Lean Concrete Backfill	2-1158
Figure 2.5.2-257	Estimation of Scattering κ	2-1159
Figure 2.5.2-258	Randomized Shear Wave Velocity Profiles 1–30	2-1160
Figure 2.5.2-259	Randomized Shear Wave Velocity Profiles 31–60	2-1161
Figure 2.5.2-260	Statistics of Randomized Shear Wave Velocity Profiles	2-1162
Figure 2.5.2-261	Randomized Shear Modulus (G) Reduction and Damping Relationships for Clayey Soils with a PI of 15 for Glacial Till with Dynamic Laboratory Test Results	2-1163
Figure 2.5.2-262	Randomized Shear Modulus (G) Reduction and Damping Relationships for Clayey Soils with a PI of 50 for Glacial Till with Dynamic Laboratory Test Results 2-1164	
Figure 2.5.2-263	Randomized Shear Modulus (G) Reduction and Damping Relationships Used for Lean Concrete Backfill	2-1165
Figure 2.5.2-264	Example Response Spectra of Time Histories Used for Site Response Analyses	2-1166
Figure 2.5.2-265	Statistics of Site Amplification for the Fermi 3 GMRS Profile	2-1167
Figure 2.5.2-266	Site Response Logic Tree	2-1168
Figure 2.5.2-267	Sensitivity of GMRS Profile Mean Site Amplification to Damping Assigned to the Rock Layers	2-1169
Figure 2.5.2-268	Sensitivity of GMRS Profile Mean Site Amplification to Modulus Reduction and Damping Relationships for Glacial Till	2-1170
Figure 2.5.2-269	Sensitivity of GMRS Profile Mean Site Amplification to Deaggregation Earthquake Motions	2-1171
Figure 2.5.2-270	GMRS Amplification Functions for the Fermi 3 Site	2-1172

Figures

Figure 2.5.2-271	Statistics of Effective Strain for the GMRS Profile and 10^{-4} Motions.....	2-1173
Figure 2.5.2-272	Statistics of Effective Strain for the GMRS Profile and 10^{-5} Motions.....	2-1174
Figure 2.5.2-273	RB/FB FIRS Amplification Functions for the Fermi 3 Site	2-1175
Figure 2.5.2-274	CB FIRS Amplification Functions for the Fermi 3 Site.....	2-1176
Figure 2.5.2-275	FWSC FIRS Amplification Functions for the Fermi 3 Site	2-1177
Figure 2.5.2-276	Development of 10^{-4} Surface UHRS for the GMRS Profile	2-1178
Figure 2.5.2-277	Development of 10^{-4} Surface UHRS for the RB/FB FIRS Profile	2-1179
Figure 2.5.2-278	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 0.5-Hz Spectral Acceleration	2-1180
Figure 2.5.2-279	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 1-Hz Spectral Acceleration	2-1181
Figure 2.5.2-280	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 2.5-Hz Spectral Acceleration	2-1182
Figure 2.5.2-281	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 5-Hz Spectral Acceleration	2-1183
Figure 2.5.2-282	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 10-Hz Spectral Acceleration	2-1184
Figure 2.5.2-283	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 25-Hz Spectral Acceleration	2-1185
Figure 2.5.2-284	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 100-Hz Spectral Acceleration	2-1186
Figure 2.5.2-285	Surface UHRS for the GMRS Profile Computed with and without CAV	2-1187
Figure 2.5.2-286	Horizontal GMRS for the Fermi 3 Site	2-1188
Figure 2.5.2-287	Vertical to Horizontal Spectral Ratios for Generic CEUS Hard Rock	2-1189
Figure 2.5.2-288	Fermi 3 GMRS (5% damping)	2-1190
Figure 2.5.2-289	Fermi 3 RB/FB FIRS (5% damping)	2-1191
Figure 2.5.2-290	Fermi 3 CB FIRS (5% damping).....	2-1192
Figure 2.5.2-291	Fermi 3 CB FIRS (5% damping).....	2-1193
Figure 2.5.3-201	Map Showing Mapped Structures and Seismicity in the Site Vicinity.....	2-1209

Figures

Figure 2.5.3-202	Map Showing Field Reconnaissance Sites, Quarries, and Aerial Reconnaissance Route	2-1210
Figure 2.5.3-203	Interpreted Hillshade Model (10-m DEM) Showing Lineaments in the Site Vicinity	2-1211
Figure 2.5.3-204	Uninterpreted Hillshade Model (10-m DEM) of the Site Vicinity	2-1212
Figure 2.5.3-205	Interpreted 1955 1:20,000-scale Aerial Photograph Mosaic Showing Lineaments in the Site Area	2-1213
Figure 2.5.3-206	Uninterpreted 1955 1:20,000-scale Aerial Photograph Mosaic of the Site Area.....	2-1214
Figure 2.5.3-207	2006 2-m resolution Color Infrared Photograph Showing Interpreted Lineaments in the Site Area	2-1215
Figure 2.5.3-208	Uninterpreted 2006 2-m resolution Color Infrared Photograph of Site Area.....	2-1216
Figure 2.5.3-209	Uninterpreted 2006 2-m resolution Color Infrared Photograph of the Site Location.....	2-1217
Figure 2.5.3-210	Colored Contour Interval (0.5-m Increments) Map Highlighting Surfaces Associated with the Arkona Lake Level (Elevation 212 - 216 m)	2-1218
Figure 2.5.3-211	Topographic Profiles 1, 2, 3, and 5 Across the Sumpter Pool Possible Fault	2-1219
Figure 2.5.3-212	Topographic Profiles 4, 6, and 7 Across the Boston Pool Possible Fault ..	2-1220
Figure 2.5.3-213	Colored Contour Interval (0.5-m Increments) Map Highlighting Surfaces Associated with the Lake Grassmere Lake Level (Elevation 195 m)	2-1221
Figure 2.5.3-214	Topographic Profiles 8, 9, and 10 across the New Boston Pool and Sumpter Pool Possible Faults	2-1222
Figure 2.5.4-201	Excavation Site Plan	2-1333
Figure 2.5.4-202	Excavation Cross Section D-D'	2-1334
Figure 2.5.4-203	Excavation Cross Section C-C'	2-1335
Figure 2.5.4-204	Excavation Cross Section B-B'	2-1336
Figure 2.5.4-205	Comparison of measured V_s and V_p with RQD for Boring TB-C5	2-1337
Figure 2.5.4-206	Comparison of measured V_s and V_p with RQD for Boring RB-C8	2-1338
Figure 2.5.4-207	Comparison of measured V_s and V_p with RQD for Boring CB-C3	2-1339

Figures

Figure 2.5.4-208	Comparison of measured V_s and V_p with RQD for Boring RB-C4	2-1340
Figure 2.5.4-209	Influence of geologic features within Bass Islands Group on measured seismic wave velocities in Borehole TB-C5.....	2-1341
Figure 2.5.4-210	Influence of geologic features within Bass Islands Group on measured seismic wave velocities in Borehole RB-C8	2-1342
Figure 2.5.4-211	Influence of geologic features within Bass Islands Group on measured seismic wave velocities in Borehole CB-C3	2-1343
Figure 2.5.4-212	Influence of geologic features within Bass Islands Group on measured seismic wave velocities in Borehole RB-C4	2-1344
Figure 2.5.4-213	Influence of shale or claystone content within Salina Group Unit F on measured seismic wave velocities in Boring TB-C5.....	2-1345
Figure 2.5.4-214	Influence of shale or claystone content within Salina Group Unit F on measured seismic wave velocities in Boring CB-C3	2-1346
Figure 2.5.4-215	Compression wave velocity measurements using both P-S and Downhole methods in Borings TB-C5, RB-C8, CB-C3, and RB-C4	2-1347
Figure 2.5.4-216	Shear wave velocity measurements using both P-S and Downhole Methods in Borings TB-C5, RB-C8, CB-C3, and RB-C4.....	2-1348
Figure 2.5.4-217	Comparison of measured shear and compression wave velocity profile using P-S suspension method in Boring RB-C6 with measured N-values within overburden	2-1349
Figure 2.5.4-218	Comparison of measured shear and compression wave velocity profile using P-S suspension method in Boring RB-C6 with gravel content within overburden	2-1350
Figure 2.5.4-219	Measured shear wave velocity profile using SASW method in the overburden near Borings RB-C4, RW-C1, MW-381 and MW-393	2-1351
Figure 2.5.4-220	Measured shear and compression wave velocity profiles using P-S Suspension method in Boring TB-C5	2-1353
Figure 2.5.4-221	Measured shear and compression wave velocity profiles using P-S Suspension and Downhole Seismic methods in Boring RB-C8	2-1354
Figure 2.5.4-222	Measured shear and compression wave velocity profiles using P-S Suspension and Downhole Seismic methods in Boring CB-C3	2-1355
Figure 2.5.4-223	Measured shear and compression wave velocity profiles using P-S Suspension and Downhole Seismic methods in Boring RB-C4	2-1356
Figure 2.5.4-224	Measured shear and compression wave velocity profiles in the overburden using P-S Suspension Logger in Boring RB-C6	2-1357

Figures

Figure 2.5.4-225	Measured shear and compression wave velocity profiles in the overburden using SASW method near Borings RB-C4 and RW-C1	2-1358
Figure 2.5.4-226	Selected Shear Modulus Reduction and Damping Curves for Glacial Till..	2-1359
Figure 2.5.4-227	Selected Shear Modulus Reduction and Damping Curves for Engineered Granular Backfill	2-1360
Figure 2.5.4-228	Total vertical displacement at end of excavation stage (Rebound due to Excavation).....	2-1361
Figure 2.5.4-229	Net Settlement at Base of Seismic Category I at End of Loading Stage....	2-1362
Figure 2.5.4-230	Lateral Earth Pressure on Reactor Building Walls	2-1363
Figure 2.5.4-231	Lateral Earth Pressure on Control Building Walls	2-1364
Figure 8.2-201	345 kV Switchyard Single-Line Diagram	8-11
Figure 8.2-202	This page is intentionally left blank.....	8-12
Figure 8.2-203	Transmission Line Map	8-13
Figure 9.2-201	Potable Water System Simplified Diagram	9-19
Figure 9.2-202	Sanitary Waste Discharge System Simplified Diagram.....	9-20
Figure 9.2-203	Station Water System – Plant Cooling Tower Makeup System (PCTMS).....	9-21
Figure 9.2-204	Station Water System – Pretreated Water Supply System (PWSS)	9-22
Figure 9.2-205	Plant Service Water System Simplified Diagram.....	9-23
Figure 9.5-201	Fire Protection System Yard Main Loop.....	9-42
Figure 9.A-2-20R	Radwaste Building Fire Protection Zones EL –9350	9-57
Figure 9.A-2-21R	Radwaste Building Fire Protection Zones EL –2350	9-58
Figure 9.A-2-22R	Radwaste Building Fire Protection Zones EL 4650	9-59
Figure 9.A-2-23R	Radwaste Building Fire Protection Zones EL 10650	9-60
Figure 9.A-2-24R	Radwaste Building Fire Protection Zones Section A-A and Section B-B	9-61
Figure 9A.2-33R	Site Fire Protection Zone ESBWR Plot Plan	9-62
Figure 9A.2-201	Fire Zones - Station Water Intake Building.....	9-63
Figure 10.4-201	CIRC Natural Cooling Tower and Pump	10-11
Figure 10.4-202	Condenser and Ball Cleaning System.....	10-12

Figures

Figure 11.4-1R	Solid Waste Management System Process Diagram.....	11-19
Figure 11.4-2R	SWMS Collection Subsystem.....	11-20
Figure 12.3-19R	RADWASTE BUILDING RADIATION ZONES EL -9350.....	12-46
Figure 12.3-20R	RADWASTE BUILDING RADIATION ZONES EL -2350.....	12-47
Figure 12.3-21R	RADWASTE BUILDING RADIATION ZONES EL 4650.....	12-48
Figure 12.3-22R	RADWASTE BUILDING RADIATION ZONES EL 10650.....	12-49
Figure 12.3-39R	RADWASTE BUILDING AREA RADIATION MONITORS EL -9350.....	12-50
Figure 12.3-40R	RADWASTE BUILDING AREA RADIATION MONITORS EL -2350.....	12-51
Figure 12.3-41R	RADWASTE BUILDING AREA RADIATION MONITORS EL 4650.....	12-52
Figure 12.3-42R	RADWASTE BUILDING AREA RADIATION MONITORS EL 10650.....	12-53
Figure 12.3-61R	RADWASTE BUILDING ACCESS AND EGRESS ROUTES EL -9350	12-54
Figure 12.3-62R	RADWASTE BUILDING ACCESS AND EGRESS ROUTES EL -2350	12-55
Figure 12.3-63R	RADWASTE BUILDING ACCESS AND EGRESS ROUTES EL 4650	12-56
Figure 12.3-64R	RADWASTE BUILDING ACCESS AND EGRESS ROUTES EL 10650	12-57
Figure 13.1-201	Design and Construction Organization.....	13-35
Figure 13.1-202	Nominal Plant Staff Hiring and Training Schedule	13-36
Figure 13.1-203	Shift Operations.....	13-37
Figure 13.1-204	Fermi 3 Site Organization (Operations).....	13-38
Figure 13.1-205	Fermi 3 Site Organization (Technical Support)	13-39
Figure 14AA-201	Preoperational and Startup Test Organization (Typical)	14-43