

September 19, 2013

Richard Kuntz, Quality Assurance Manager
SPX, Copes-Vulcan
5620 West Road
McKean, PA 16426-1504

SUBJECT: VENDOR INSPECTION OF SPX/COPES VULCAN AT UNIVERSAL PROPULSION
COMPANY, INC.

Dear Mr. Kuntz:

This letter documents the Nuclear Regulatory Commission (NRC) staff's plan to perform an inspection of SPX/Copes Vulcan to review implementation of your quality assurance program in accordance with Title 10 of the *Code of Federal Regulations* (10 CFR) Part 50, Appendix B and 10 CFR Part 21. Specifically, the inspection team will review activities associated with the design, manufacture, and testing of the explosive cartridges being installed on squib valves for the Westinghouse AP 1000 reactor. The team also plans to review your plan for augmented testing of the squib valve initiators in response to Nonconformance 9990080/201-2012-01.

The inspectors plan to arrive at the UPCO facility in Fairfield, CA, on Monday, September 23, 2013, and will conduct the inspection through Friday, September 27, 2013. Subsequent to the inspection, a report will be issued and transmitted to you via letter. The lead inspector for this effort is Mr. Jeffrey Jacobson; you may contact him at 301-415-2977 or via electronic mail at Jeffrey.Jacobson@NRC.gov.

The following docket number has been assigned to your facility: 99900080. Please reference this number on any correspondence sent to the NRC.

Sincerely,

/RA/

Richard A. Rasmussen, Chief
Electrical Vendor Inspection Branch
Division of Construction Inspection
and Operational Programs
Office of New Reactors

Docket No.: 99900080

September 19, 2013

Richard Kuntz, Quality Assurance Manager
SPX, Copes-Vulcan
5620 West Road
McKean, PA 16426-1504

SUBJECT: VENDOR INSPECTION OF SPX/COPES VULCAN AT UNIVERSAL PROPULSION
COMPANY, INC.

Dear Mr. Kuntz:

This letter documents the Nuclear Regulatory Commission (NRC) staff's plan to perform an inspection of SPX/Copes Vulcan to review implementation of your quality assurance program in accordance with Title 10 of the *Code of Federal Regulations* (10 CFR) Part 50, Appendix B and 10 CFR Part 21. Specifically, the inspection team will review activities associated with the design, manufacture, and testing of the explosive cartridges being installed on squib valves for the Westinghouse AP 1000 reactor. The team also plans to review your plan for augmented testing of the squib valve initiators in response to Nonconformance 9990080/201-2012-01.

The inspectors plan to arrive at the UPCO facility in Fairfield, CA, on Monday, September 23, 2013, and will conduct the inspection through Friday, September 27, 2013. Subsequent to the inspection, a report will be issued and transmitted to you via letter. The lead inspector for this effort is Mr. Jeffrey Jacobson; you may contact him at 301-415-2977 or via electronic mail at Jeffrey.Jacobson@NRC.gov.

The following docket number has been assigned to your facility: 99900080. Please reference this number on any correspondence sent to the NRC.

Sincerely,

/RA/

Richard A. Rasmussen, Chief
Electrical Vendor Inspection Branch
Division of Construction Inspection
and Operational Programs
Office of New Reactors

Docket No.: 99900080

DISTRIBUTION:

ASakadales
wesselrp@westinghouse.com

ADAMS ACCESSION No.: ML13262A431 NRC-001

OFFICE	NRO/DCIP/CEVB	NRO/DCIP/CEVB
NAME	JJacobson	RRasmussen
DATE	09/19/2013	09/19/2013

OFFICIAL RECORD COPY