

NORTH ANNA COL CORE NORTH ANNA COL DATA REPORT REV0.GPJ NORTH ANNA COL.GDT 1/19/07

NORTH ANNA COL _JRE NORTH ANNA COL DATA REPORT REV0.GPJ NORTH ANNA COL.GDT 1/19/07



SHEET 3 OF 3

MACTEC PROJECT NO.: 6468-06-1472					COUNTY Louisa, VA					GEOLOGIST J. Howard				
SITE DESCRIPTION NORTH ANNA COL										GROUND WATER (ft) 0 HR. 23.0 24 HR. 21.9				
BORING NO. B-905			DRILL METHOD: Mud Rotary/Core			SAMPLE METHODS: SPT/CORE								
COLLAR ELEV. 306.8 ft (NAVD88)			NORTHING 3,909,733		US ft (NAD83)		EASTING 11,685,822		US ft (NAD83)					
TOTAL DEPTH 150.4 ft			DRILL MACHINE CME 550 ATV			DRILLER: G. Akins				HAMMER TYPE 140 lbs Auto				
DATE STARTED 9/19/06			COMPLETED 9/25/06			CORE BARREL TYPE: HQ 3 triple tube-wireline								
ELEV. (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT						SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	
		0.5ft	0.5ft	0.5ft	0	20	40	60	80	100				
157.1					Continued from previous page									
													156.4 Hard Rock: Blue-gray and brown, moderately to slightly weathered, moderately close fracturing, moderately hard, BIOTITE GNEISS (continued) Boring and coring terminated at 150.4 ft in Hard Rock: Hard, BIOTITE GNEISS 150.4	



SHEET 1 OF 2

MACTEC PROJECT NO.: 6468-06-1472						COUNTY Louisa, VA				GEOLOGIST J. Howard			
SITE DESCRIPTION NORTH ANNA COL										GROUND WATER (ft)			
BORING NO. B-905			DRILL METHOD: Mud Rotary/Core				SAMPLE METHODS: SPT/CORE				0 HR. 23.0		
COLLAR ELEV. 306.8 ft (NAVD88)			NORTHING 3,909,733		US ft (NAD83)		EASTING 11,685,822		US ft (NAD83)		24 HR. 21.9		
TOTAL DEPTH 150.4 ft			DRILL MACHINE CME 550 ATV				DRILLER: G. Akins				HAMMER TYPE 140 lbs Auto		
DATE STARTED 9/19/06				COMPLETED 9/25/06				CORE BARREL TYPE: HQ 3 triple tube-wireline					
CORE SIZE HQ3				TOTAL RUN 124.3 ft									
ELEV. (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	REC. (ft) %	RQD (ft) %	SAMP. NO.	STRATA REC. (ft) %	RQD (ft) %	L O G	DESCRIPTION AND REMARKS			
										Begin Coring @ 26.1 ft			
280.7	26.1	4.4	N=50/0.0 2:00 1:30 0:30 1:00	(2.2) 50%	(2.2) 50%	1				280.7	Hard Rock: Tan gray, moderately to very slightly weathered, close to moderately close fracturing, medium hard to hard, QUARTZ GNEISS		
276.3	30.5	4.9	1:30/0.4 2:00 1:45 1:15 1:30 3:00/0.9	(3.9) 80%	(3.0) 61%	2							
271.4	35.4	5.1	3:00 3:00 2:30 3:15 3:30/1.1	(5.1) 100%	(5.1) 100%	3					(2 joints at 80°)		
266.3	40.5	5.0	3:45 4:15 5:00 7:15 4:30	(4.7) 94%	(4.7) 94%	4				266.3	Hard Rock: Blue-gray to tan-gray, moderately weathered to fresh, close to moderately close fracturing, hard to very hard, BIOTITE GNEISS (1 joint at 40°, 1 joint at 75°, 2 joints at 20°; loss of circulation from 44.4 to 44.6 ft)		
261.3	45.5	4.9	5:00 7:00 7:15 10:30 9:30/0.9	(4.9) 100%	(4.9) 100%	5					(1 joint at 10°, 1 joint at 80°, 2 joints at 50°)		
256.4	50.4	4.8	3:00 8:30 7:15 6:45 7:30/0.8	(4.2) 88%	(3.4) 71%	6							
251.6	55.2	5.1	9:15 3:45 3:00 2:30 4:00/1.1	(5.1) 100%	(4.2) 82%	7					(4 joints at 30-40°)		
246.5	60.3	4.9	6:45 3:00 3:45 6:30 8:00/0.9	(4.9) 100%	(4.9) 100%	8					(2 joints at 20°, 2 joints at 40°)		
241.6	65.2	5.1	6:00 3:00 1:45 2:00 2:15/1.1	(4.8) 94%	(4.0) 78%	9					(3 joints at 30°, 1 joint at 10°)		
236.5	70.3	2.9	4:00 2:15 2:30/0.9	(2.9) 100%	(1.3) 45%	10					(5 joints at 10°, 1 joint at 50°, 1 joint at 85°; trace epidote)		
233.6	73.2	7.0	3:30 4:00 3:30 3:45 2:30 3:30 5:00	(5.3) 76%	(4.7) 67%	11					(4 joints at 10°, 1 joint at 85°)		
229.0										229.0	77.8		
226.6	80.2	5.3	4:30 4:45 5:00 6:00 5:15	(5.3) 100%	(3.8) 72%	12				226.6	Hard Rock: Gray-tan, light gray, and blue-gray, moderate severely weathered to fresh, very close to moderately close fracturing, medium hard to hard, BIOTITE GNEISS (7 joints at 20°, 3 joints at 80°)		
221.3	85.5	5.0	2:45 2:00 3:45 3:30 4:30	(3.3) 66%	(0.5) 10%	13							
216.3	90.5	5.0	2:30 2:00 2:15 2:00 2:00	(3.5) 70%	(1.3) 26%	14					(2 joints at 40°, 1 joint at 85°)		
211.3	95.5	5.0	1:45 1:30 1:30 1:15 1:00	(4.5) 90%	(3.8) 76%	15					(3 joints at 60°, 1 joint at 85°)		
206.3	100.5												

NORTH ANNA COL DATA REPORT REV0.GPJ NORTH ANNA COL.GDT 1/19/07



SHEET 2 OF 2

MACTEC PROJECT NO.: 6468-06-1472

COUNTY Louisa, VA

GEOLOGIST J. Howard

SITE DESCRIPTION NORTH ANNA COL

GROUND WATER (ft)

BORING NO. B-905

DRILL METHOD: Mud Rotary/Core

SAMPLE METHODS: SPT/CORE

0 HR. 23.0

COLLAR ELEV. 306.8 ft (NAVD88)

NORTHING 3,909,733

US ft (NAD83)

EASTING 11,685,822

US ft (NAD83)

24 HR. 21.9

TOTAL DEPTH 150.4 ft

DRILL MACHINE CME 550 ATV

DRILLER: G. Akins

HAMMER TYPE 140 lbs Auto

DATE STARTED 9/19/06

COMPLETED 9/25/06

CORE BARREL TYPE: HQ 3 triple tube-wireline

CORE SIZE HQ3

TOTAL RUN 124.3 ft

ELEV. (ft)

DEPTH (ft)

RUN (ft)

DRILL RATE (Min/ft)

RUN

REC. (ft) %

RQD (ft) %

SAMP. NO.

STRATA

REC. (ft) %

RQD (ft) %

L O G

DESCRIPTION AND REMARKS

Continued from previous page

201.3

105.5

5.0

1:30 ND ND ND ND

(5.0) 100%

(4.8) 96%

16

(2 joints at 10°, 2 joints at 60-70°)
Hard Rock: Gray-tan, light gray, and blue-gray, moderate severely weathered to fresh, very close to moderately close fracturing, medium hard to hard, BIOTITE GNEISS (continued)

196.3

110.5

5.0

2:00 1:45 1:30 1:15 1:45

(5.0) 100%

(4.5) 90%

17

(1 joint at 20°, 2 joints at 40-50°; quartz+felspar veins)

191.3

115.5

5.0

2:45/2.0 2:00 1:30 1:45

(4.7) 94%

(4.2) 84%

18

(4 joints at 10-20°, 2 joints at 50°)

186.3

120.5

5.0

1:30 1:15 1:30 1:45 1:45

(4.3) 86%

(2.7) 54%

19

(3 joints at 30-40°, 4 joints at 50-60°)

181.4

125.4

4.9

3:00 3:15 2:00 2:15 2:30/0.9

(1.6) 33%

(0.4) 8%

20

185.0 ----- 121.8
Weathered Rock: BIOTITE GNEISS-little to no recovery

179.4

127.4

2.0

2:00/2.0

(2.0) 100%

(1.2) 60%

21

181.4 ----- 125.4
Hard Rock: Gray-tan and blue-gray, moderately weathered to fresh, very close to wide fracturing, hard to very hard, BIOTITE GNEISS, locally with quartz and felspar veins

176.2

130.6

3.2

1:15 1:00 2:00

(2.6) 81%

(1.2) 38%

22

(3 joints at 30°)

171.3

135.5

4.9

0:30/0.2 2:15 2:00 4:00 3:00 4:30/0.9

(4.9) 100%

(4.9) 100%

23

(2 joints at 40°, 1 joint at 30°, 1 joint at 0°; quartz+felspar veins)

168.1

138.7

3.2

6:30 6:00 12:30

(3.2) 100%

(3.2) 100%

24

-No Joints

161.5

145.3

6.6

4:00/0.2 6:30 6:30 3:00 3:30 4:00 6:00/1.6

(6.6) 100%

(6.6) 100%

25

-No Joints

156.4

150.4

5.1

6:45 6:15 2:30 2:30 2:00/1.1

(5.1) 100%

(5.0) 98%

26

159.2 ----- 147.6
Hard Rock: Blue-gray and brown, moderately to slightly weathered, moderately close fracturing, moderately hard, BIOTITE GNEISS

156.4 ----- 150.4
Coring terminated at 150.4 ft in Hard Rock: Hard, BIOTITE GNEISS

NORTH ANNA COL

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8

306.8


306.8

306.8


306.8

30

NORTH ANNA COL CORE NORTH ANNA COL DATA REPORT REV0.GPJ NORTH ANNA COL GDT 1/19/07



B-905 – Box 1



B-905 – Box 2

B-905 – Box 3



B-905 - Box 4

B-905 - Box 5



B-905 - Box 6

B-905 - Box 7



B-905 – Box 8
B-905 – Box 9